

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/2/2021 Revision date: 6/27/2023 Supersedes version of: 9/2/2021 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : PERFECTLY PUMPKIN #EU13513F

UFI : T5E6-K1SR-H00V-H1FQ

Product code : EU13513F

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE- 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com - www.frenchcolor.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) : Warning

Contains : Benzyl benzoate; Cinnamic aldehyde; Eugenol; COUMARIN; Phenylethyl alcohol;

Heliotropine; Amyl cinnamic aldehyde; Ethyl maltol; 1,2-Cyclopentanedione, 3-methyl-;

Acetyl Propionyl; beta-Caryophyllene

Hazard statements (CLP) : H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	27.5 – 55	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	8.5075 – 17.03	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	3.1625 – 6.4	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	2.5 – 5	Eye Irrit. 2, H319
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	1.9 – 3.8	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	1.375 – 2.75	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Terpineol	CAS-No.: 8000-41-7 EC-No.: 232-268-1	0.875 – 1.75	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Anisic aldehyde	CAS-No.: 123-11-5 EC-No.: 204-602-6 REACH-no: 01-2119977101- 43	0.75 – 1.5	Aquatic Chronic 3, H412
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.625 – 1.25	Skin Sens. 1B, H317
Amyl cinnamic aldehyde	CAS-No.: 122-40-7 EC-No.: 204-541-5	0.5 – 1	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	0.5 – 1	Acute Tox. 4 (Oral), H302
1,2-Cyclopentanedione, 3-methyl-	CAS-No.: 765-70-8 EC-No.: 212-154-8	0.25 – 0.5	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.25 – 0.5	Acute Tox. 4 (Oral), H302
acetyl propionyl substance with national workplace exposure limit(s) (DE, SI, CH)	CAS-No.: 600-14-6 EC-No.: 209-984-8	0.25 – 0.5	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	0.2 – 0.4	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.0825 – 0.24	Skin Sens. 1B, H317 Asp. Tox. 1, H304
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0.01 – 0.053	Flam. Liq. 3, H226
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.01 – 0.053	Flam. Liq. 3, H226
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.005 – 0.023	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
p-Cymene substance with national workplace exposure limit(s) (DK, EE, LT, LV, SE)	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	0.001 – 0.01	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6/27/2023 (Revision date) EN (English) 4/24

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	4.4 mg/m³	
HTP (OEL TWA) [2]	1 ppm	
HTP (OEL C)	17.4 mg/m³	
HTP (OEL C) [ppm]]	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	AK (OEL TWA) 5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	

Safety Data Sheet

Benzaldehyde (100-52-7)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
acetyl propionyl (600-14-6)		
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	0.083 mg/m³	
AGW (OEL TWA) [2]	0.02 ppm	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	0.083 mg/m³	
OEL TWA [ppm]	0.02 ppm	
OEL STEL	0.083 mg/m³	
OEL STEL [ppm]	0.02 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	0.08 mg/m³	
MAK (OEL TWA) [2]	0.02 ppm	
KZGW (OEL STEL)	0.16 mg/m³	
KZGW (OEL STEL) [ppm]	0.04 ppm	
OEL chemical category	Sensitizer, Skin notation	
Benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	45 mg/m³	
HTP (OEL TWA) [2]	10 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
	I .	

Safety Data Sheet

Benzyl alcohol (100-51-6)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	44 mg/m³	
OEL STEL [ppm]	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	22 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	

Safety Data Sheet

d-Limonene (5989-27-5)	
Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	40 mg/m³
MAK (OEL TWA) [2]	7 ppm
KZGW (OEL STEL)	80 mg/m³
KZGW (OEL STEL) [ppm]	14 ppm
OEL chemical category	Sensitizer
.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
IPRV (OEL TWA) [ppm]	25 ppm
TPRV (OEL STEL)	300 mg/m³
TPRV (OEL STEL) [ppm]	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	113 mg/m³
VLA-ED (OEL TWA) [2]	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
NGV (OEL TWA) [ppm]	25 ppm
KTV (OEL STEL)	300 mg/m³
KTV (OEL STEL) [ppm]	50 ppm
OEL chemical category	Sensitizer

Safety Data Sheet

.alphaPinene (80-56-8)		
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
.betaPinene (127-91-3)		
Belgium - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
TPRV (OEL STEL) [ppm]	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	113 mg/m³	
VLA-ED (OEL TWA) [2]	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m³	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Deta - Prinene (127-91-3) Norway - Occupational Exposure Limits 140 mg/m³ 25 ppm (Value calculated) (V			
Grenseverdi (OEL TWA) [1]	.betaPinene (127-91-3)		
Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes) ACGIH othemical category Not Classifiable as a Human Carcinogen, dermal sensitizer p-Cymene (99-87-6) Denmark - Occupational Exposure Limits OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes) OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL 270 mg/m² (Methylisopropylbenzenes) OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes) OEL TWA 140 mg/m² OEL TWA [ppm] 25 ppm OEL STEL 190 mg/m³ OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits PRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) [ppm] 35 ppm Swedon - Occupational Exposure Limits 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm Sypon Swedon - Occupational Exposure Limits	Norway - Occupational Exposure Limits		
Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer p-Cymene (99-87-6) Denmark - Occupational Exposure Limits OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes) OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL 270 mg/m³ (Methylisopropylbenzenes) OEL STEL 50 ppm [Methylisopropylbenzenes) Estonia - Occupational Exposure Limits OEL TWA 140 mg/m³ OEL TWA [190 mg/m³ OEL STEL 190 mg/m³ OEL STEL 190 mg/m³ OEL STEL 190 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) [140 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) [140 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) [140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 26 ppm KTV (OEL STEL) [ppm] 35 ppm	Grenseverdi (OEL TWA) [1]	140 mg/m³	
Kortidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer p-Cymene (99-87-6) Denmark - Occupational Exposure Limits OEL TWA [1] 135 mg/m² (Methylisopropylbenzenes) OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL 270 mg/m² (Methylisopropylbenzenes) OEL STEL 50 ppm] 50 ppm (Methylisopropylbenzenes) Estonia - Occupational Exposure Limits OEL TWA 140 mg/m² OEL TWA 19pm] 25 ppm OEL STEL 190 mg/m² Sppm Latvia - Occupational Exposure Limits OEL TWA 10 mg/m² (Cymene (2, 3, 4-Isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) ppm] 25 ppm TPRV (OEL TWA) ppm] 25 ppm TPRV (OEL STEL) 190 mg/m² Sppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	Grenseverdi (OEL TWA) [2]	25 ppm	
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer p-Cymene (99-87-6) Denmark - Occupational Exposure Limits OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes) OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL 270 mg/m³ (Methylisopropylbenzenes) OEL STEL 50 ppm] 50 ppm (Methylisopropylbenzenes) Estonia - Occupational Exposure Limits OEL TWA 140 mg/m³ OEL TWA 140 mg/m³ OEL STEL 190 mg/m³ OEL STEL 100 mg/m³ (Cymene (2, 3, 4-Isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 140 mg/m³ IPRV (OEL TWA) 150 ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer p-Cymene (99-87-6) Demark - Occupational Exposure Limits OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes) OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL 270 mg/m³ (Methylisopropylbenzenes) OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes) Estonia - Occupational Exposure Limits OEL TWA 140 mg/m³ OEL TWA [ppm] 25 ppm OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 140 mg/m³ IPRV (OEL TWA) 19pm] 25 ppm TPRV (OEL STEL) 190 mg/m³ Syeden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) 140 mg/m³ Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³	Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
ACGIH chemical category p-Cymene (99-87-6) Denmark - Occupational Exposure Limits OEL TWA [1] OEL STEL OEL STEL OEL TWA OEL STEL OEL TWA OEL	USA - ACGIH - Occupational Exposure Limits		
Denmark - Occupational Exposure Limits 135 mg/m³ (Methylisopropylbenzenes)	ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
Demmark - Occupational Exposure Limits OEL TWA [1] 135 mg/m² (Methylisopropylbenzenes) OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL 270 mg/m² (Methylisopropylbenzenes) OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes) Estonia - Occupational Exposure Limits OEL TWA 140 mg/m² OEL TWA [ppm] 25 ppm OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) 190 mg/m³ Swedn - Occupational Exposure Limits NGV (OEL STEL) [ppm] Swedn - Occupational Exposure Limits NGV (OEL TWA) [ppm] KTV (OEL STEL) 140 mg/m² KTV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m²	ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes) OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL 270 mg/m³ (Methylisopropylbenzenes) OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes) Estonia - Occupational Exposure Limits 140 mg/m³ OEL TWA 140 mg/m³ OEL TWA [ppm] 25 ppm OEL STEL 190 mg/m³ OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 140 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³ KTV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	p-Cymene (99-87-6)		
OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL 270 mg/m³ (Methylisopropylbenzenes) OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes) Estonia - Occupational Exposure Limits 140 mg/m³ OEL TWA [ppm] 25 ppm OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits 140 mg/m³ NGV (OEL TWA) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] NGV (OEL TWA) [ppm] 25 ppm KTV (OEL TWA) [ppm] 25 ppm KTV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) [ppm] 25 ppm KTV (OEL STEL) [ppm] 25 ppm KTV (OEL STEL) [ppm] 25 ppm	Denmark - Occupational Exposure Limits		
OEL STEL 270 mg/m³ (Methylisopropylbenzenes) OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes) Estonia - Occupational Exposure Limits 140 mg/m³ OEL TWA 140 mg/m³ OEL TWA [ppm] 25 ppm OEL STEL 190 mg/m³ OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) IPRV (OEL TWA) 140 mg/m³ IPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] NGV (OEL TWA) [ppm] 25 ppm KTV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	OEL TWA [1]	135 mg/m³ (Methylisopropylbenzenes)	
OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes) Estonia - Occupational Exposure Limits OEL TWA 140 mg/m³ OEL TWA [ppm] 25 ppm OEL STEL 190 mg/m³ OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³ KTV (OEL STEL) 190 mg/m³	OEL TWA [2]	25 ppm (Methylisopropylbenzenes)	
Estonia - Occupational Exposure Limits OEL TWA 140 mg/m³ OEL TWA [ppm] 25 ppm OEL STEL 190 mg/m³ OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³ KTV (OEL STEL) 190 mg/m³	OEL STEL	270 mg/m³ (Methylisopropylbenzenes)	
OEL TWA 140 mg/m³ OEL TWA [ppm] 25 ppm OEL STEL 190 mg/m³ OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) IPRV (OEL TWA) 140 mg/m³ IPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m²	OEL STEL [ppm]	50 ppm (Methylisopropylbenzenes)	
OEL TWA [ppm] 25 ppm OEL STEL 190 mg/m³ OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 140 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	Estonia - Occupational Exposure Limits		
OEL STEL 190 mg/m³ OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 140 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	OEL TWA	140 mg/m³	
OEL STEL [ppm] 35 ppm Latvia - Occupational Exposure Limits 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits 140 mg/m³ IPRV (OEL TWA) 140 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits 140 mg/m³ NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	OEL TWA [ppm]	25 ppm	
Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] Sweden - Occupational Exposure Limits NGV (OEL TWA) NGV (OEL TWA) NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³ 190 mg/m³	OEL STEL	190 mg/m³	
OEL TWA 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 140 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	OEL STEL [ppm]	35 ppm	
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 140 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	Latvia - Occupational Exposure Limits		
IPRV (OEL TWA) 140 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	OEL TWA	10 mg/m³ (Cymene (2, 3, 4-isomers mixture))	
IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	Lithuania - Occupational Exposure Limits		
TPRV (OEL STEL) 190 mg/m³ TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	IPRV (OEL TWA)	140 mg/m³	
TPRV (OEL STEL) [ppm] 35 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	IPRV (OEL TWA) [ppm]	25 ppm	
Sweden - Occupational Exposure Limits NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	TPRV (OEL STEL)	190 mg/m³	
NGV (OEL TWA) 140 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	TPRV (OEL STEL) [ppm]	35 ppm	
NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 190 mg/m³	Sweden - Occupational Exposure Limits		
KTV (OEL STEL) 190 mg/m³	NGV (OEL TWA)	140 mg/m³	
	NGV (OEL TWA) [ppm]	25 ppm	
VTV/OEL STEL\[nnm] 25 nnm	KTV (OEL STEL)	190 mg/m³	
VIA (OET 21ET) [bbiii] 22 bbiii	KTV (OEL STEL) [ppm]	35 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour characteristic. Odour threshold : Not available Not applicable Melting point Freezing point Not available Boiling point Not available Flammability Not applicable **Explosive limits** Not available Lower explosion limit : Not available Upper explosion limit Not available

Flash point : > 93 °C (closed cup) ASTM D7094

Auto-ignition temperature Not available Decomposition temperature Not available рΗ : Not available Viscosity, kinematic Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available : ≈ 1.109 Relative density

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

PERFECTLY PUMPKIN #EU13513F	
ATE CLP (oral)	650.123 mg/kg bodyweight
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Cinnamic aldehyde (104-55-2)	
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)
LD50 dermal	1100 mg/kg bodyweight

Safety Data Sheet

Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)
LD50 oral	2500 mg/kg bodyweight
Ethyl vanillin (121-32-4)	
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)
LD50 oral	3000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 oral	290 mg/kg bodyweight
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
Phenylethyl alcohol (60-12-8)	
LD50 oral rat	1609 mg/kg (Source: EPA_HPV)
LD50 oral	1610 mg/kg bodyweight
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)
LD50 dermal	2500 mg/kg bodyweight
LC50 Inhalation - Rat	> 4.63 mg/l/4h
Terpineol (8000-41-7)	
LD50 oral rat	2900 mg/kg (Source: IUCLID)
LD50 oral	4300 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg (Source: IUCLID)
Anisic aldehyde (123-11-5)	
LD50 oral rat	> 2000 mg/kg (Source: OECD_SIDS)
LD50 oral	3210 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h Source: OECD_SIDS)
Heliotropine (120-57-0)	
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)
LD50 oral	2700 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
Amyl cinnamic aldehyde (122-40-7)	
LD50 oral rat	3730 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 2000 mg/kg (Source: CHEMVIEW)
Ethyl maltol (4940-11-8)	
LD50 oral rat	1150 mg/kg (Source: NLM_CIP)
LD50 oral	1200 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)

Safety Data Sheet

1,2-Cyclopentanedione, 3-methyl- (765-70-8)	
LD50 oral	1067 mg/kg bodyweight
Benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)
acetyl propionyl (600-14-6)	
LD50 oral rat	3 g/kg (Source: NLM_CIP)
LD50 oral	3000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg (Source: NIOSH)
LD50 dermal	2500 mg/kg bodyweight
Benzyl alcohol (100-51-6)	
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 oral	1620 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
.alphaPinene (80-56-8)	
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)
.betaPinene (127-91-3)	
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
p-Cymene (99-87-6)	
LD50 oral rat	4750 mg/kg (Source: NLM_CIP)
LD50 oral	4750 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat	> 9.7 mg/l (Exposure time: 5 h Source: EU_CLH)
LC50 Inhalation - Rat (Vapours)	9.7 mg/l/4h
	Causes skin irritation.
Serious eye damage/irritation : Respiratory or skin sensitisation :	Causes serious eye irritation. May cause an allergic skin reaction.
	Not classified
	Not classified
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
acetyl propionyl (600-14-6)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified
Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
Heliotropine (120-57-0)	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(chronic)	
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Ethyl vanillin (121-32-4)	
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
Phenylethyl alcohol (60-12-8)	
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)
Heliotropine (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)
Ethyl maltol (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)

Safety Data Sheet

Benzaldehyde (100-52-7)	
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
Benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
.alphaPinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.2. Persistence and degradability	
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)
Eugenol (97-53-0)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)
Ethyl vanillin (121-32-4)	
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)
Phenylethyl alcohol (60-12-8)	
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)
Anisic aldehyde (123-11-5)	
Partition coefficient n-octanol/water (Log Pow)	1.56 (at 25 °C (at pH >7.9-<8.25)
Heliotropine (120-57-0)	
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)
Amyl cinnamic aldehyde (122-40-7)	
Partition coefficient n-octanol/water (Log Pow)	2.498 (at 25 °C (at pH 6.2)
<u> </u>	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethyl maltol (4940-11-8)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)
Benzaldehyde (100-52-7)	
BCF - Fish [1]	(no significant bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)
Benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.05
d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
.alphaPinene (80-56-8)	
Partition coefficient n-octanol/water (Log Pow)	4.1
beta-Caryophyllene (87-44-5)	
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)
p-Cymene (99-87-6)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 20 °C (at pH 7)
Partition coefficient n-octanol/water (Log Kow)	0

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
 - $\mbox{HP6}$ "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
 - $\label{eq:heaviside} \mbox{HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.$
 - HP13 "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.
 - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III
14.3. Transport hazard	class(es)			
9	9	9	9	9
				•
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	zards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (RE	EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description		
3(a)	acetyl propionyl; d- Limonene; .alphaPinene ; .betaPinene; p- Cymene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	PERFECTLY PUMPKIN #EU13513F; Benzyl benzoate; Cinnamic aldehyde; Eugenol; Phenylethyl alcohol; Terpineol; Amyl cinnamic aldehyde; Benzaldehyde ; acetyl propionyl; Benzyl alcohol; d-Limonene; p- Cymene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	PERFECTLY PUMPKIN #EU13513F; Benzyl benzoate; Cinnamic aldehyde; Anisic aldehyde; Amyl cinnamic aldehyde; d-Limonene; p-Cymene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
40.	acetyl propionyl ; d- Limonene ; .alphaPinene ; .betaPinene ; p- Cymene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Terpineol is listed SZW-lijst van mutagene stoffen : Terpineol is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

6/27/2023 (Revision date) EN (English) 21/24

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Denmark

Classification remarks
Danish National Regulations

- : Emergency management guidelines for the storage of flammable liquids must be followed
- : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and ac	cronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit

Safety Data Sheet

Abbreviations and acronyms:	
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.