

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 12/23/2019 Revision date: 8/3/2023 Supersedes version of: 4/19/2022 Version: 3.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form	: Mixture
Product name	: Tuscan Vineyard #EU16935F
UFI	: TYVG-K1R6-N00C-47JG
Product code	: EU16935F
Type of product	: Perfumes, fragrances
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	:	Industrial use,Professional use
Industrial/Professional use spec	:	For professional use only
		Industrial
Use of the substance/mixture	:	Perfumes, fragrances
Function or use category	:	Odour agents

#### 1.2.2. Uses advised against

No additional information available

# **1.3. Details of the supplier of the safety data sheet**

FRENCH COLOR & FRAGRANCE International GmbH Mittlerer Weg 35 DE– 79424 Auggen Germany T 49-7631-931-8900 SDS@frenchcolor.com - www.frenchcolor.com

## 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

# SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Acute toxicity (oral), Category 4	H302	
Skin sensitisation, Category 1	H317	
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411	
Full text of H- and EUH-statements: see section 16		

## Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

## 2.2. Label elements

Labelling according to Regulation	(EC) No.	1272/2008	[CLP]	

Hazard pictograms (CLP)



Signal word (CLP) Contains

 Warning
 Benzyl benzoate; Ethyl maltol; Iso E Super; Hexyl salicylate; Lemon oil ; Triplal (Vertocitral); Geraniol; Vertofix; Lime oil distilled ; Citronellol Pure

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H302 - Harmful if swallowed.
	H317 - May cause an allergic skin reaction.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P270 - Do not eat, drink or smoke when using this product.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# SECTION 3: Composition/information on ingredients

## 3.1. Substances

#### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	35.85 – 71.7	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
methyl anthranilate	CAS-No.: 134-20-3 EC-No.: 205-132-4	3.5 – 7	Eye Irrit. 2, H319
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	3.05 – 6.1	Aquatic Chronic 3, H412
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1.3 – 2.6	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	1 – 2	Acute Tox. 4 (Oral), H302
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.6 – 1.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cedarwood oil, Texas	CAS-No.: 68990-83-0 EC-No.: 294-461-7	0.25 – 0.5	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	0.25 – 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.22 – 0.44	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49	0.175 – 0.35	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.175 – 0.35	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.1 – 0.2	Not classified
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
acetyl cedrene	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651- 28	0.1 – 0.2	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.1 – 0.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0-0.04	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0-0.01	Flam. Liq. 3, H226

# SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : Call a poison center or a doctor if you feel unwell. First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact First-aid measures after ingestion	<ul><li>Rinse eyes with water as a precaution.</li><li>Rinse mouth. Call a poison center or a doctor if you feel unwell.</li></ul>
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
4.3. Indication of any immediate medical attention and special treatment needed	

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	pment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment	and cleaning up	
For containment Methods for cleaning up Other information	<ul> <li>Collect spillage.</li> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash</li> </ul>
7.2. Conditions for safe storage, includin	contaminated clothing before reuse. g any incompatibilities

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Storage temperature Storage area Special rules on packaging Packaging materials	<ul> <li>25 °C</li> <li>Store in a well-ventilated place. Store away from heat.</li> <li>Store in a closed container.</li> <li>Do not store in corrodable metal.</li> </ul>
7.3. Specific end use(s)	

No additional information available

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
OEL TWA [ppm]	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	61 mg/m³	
OEL TWA [2]	10 ppm	
OEL STEL	122 mg/m³	
OEL STEL [ppm]	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	10 ppm	
OEL STEL [ppm]	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
OEL TWA [ppm]	8 ppm	
OEL STEL	80 mg/m³	
OEL STEL [ppm]	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	62 mg/m³	
VLA-ED (OEL TWA) [2]	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

decyl alcohol (112-30-1)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	10 mg/m <sup>3</sup>
Germany - Occupational Exposure Limits (TRGS 90	
AGW (OEL TWA) [1]	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Latvia - Occupational Exposure Limits	
OEL TWA	10 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	10 mg/m³
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m³
OEL TWA [ppm]	15 ppm
OEL STEL	200 mg/m³
OEL STEL [ppm]	30 ppm
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	66 mg/m³ (aerosol, vapour)
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)
Ethyl acetoacetate (141-97-9)	
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m³
OEL TWA [ppm]	19 ppm
OEL STEL	200 mg/m³
OEL STEL [ppm]	38 ppm
Aldehyde C-6 (66-25-1)	
Finland - Occupational Exposure Limits	
HTP (OEL STEL)	42 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	10 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	40 mg/m³
NDSCh (OEL STEL)	80 mg/m³

## 8.1.2. Recommended monitoring procedures

No additional information available

# 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Safety glasses

## 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

#### Hand protection: Protective gloves

8.2.2.3. Respiratory protection

#### Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

# Environmental exposure controls:

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 90.7 °C (closed cup) ASTM D7094
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

:	Not available
:	Not available
:	≈ 1.09
:	Not available
:	Not applicable
	:

## 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined	l in Regulation (EC) No 1272/2008
Acute toxicity (dermal) :	Harmful if swallowed. Not classified Not classified
Tuscan Vineyard #EU16935F	
ATE CLP (oral)	688.994 mg/kg bodyweight
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
methyl anthranilate (134-20-3)	
LD50 oral rat	2910 mg/kg (Source: NLM_CIP)
LD50 oral	2780 mg/kg bodyweight
LD50 dermal rabbit	5000 mg/kg (Source: NLM_HSDB)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 onl nt2490 mg/kg (Source: JAPAN_GHS)LD50 oral2490 mg/kg bodyweightLD50 dermal rabbd>5000 mg/kg (Source: JAPAN_GHS)LD50 dermal rabbd1150 mg/kg (Source: NLM_CIP)LD50 oral nt1150 mg/kg (Source: ECHA_API)LD50 dermal rabbd> 5000 mg/kg (Source: ECHA_API)Hexyl saicylate (6259-76-3)>LD50 oral nt> 5 5g/kg (Source: ECHA_API)LD50 dermal rabbd> 5 5g/kg (Source: ECHA_API)LD50 oral nt> 5 5g/kg (Source: NLM_CIP)LD50 oral nt2840 mg/kg (Source: NLM_CIP)LD50 oral nt2840 mg/kg (Source: NLM_CIP)LD50 oral nt3000 mg/kg bodyweightCoreaniel (106-24-1)Source: NLM_CIP)LD50 oral nt3000 mg/kg (Source: NLM_CIP)LD50 oral nt4720 mg/kg (Source: NLM_CIP)LD50 oral nt3980 mg/kg (Source: NLM_CIP)LD50 oral nt3980 mg/kg (Source: NLM_CIP)LD50 oral nt2000 mg/kg (Source: NLM_CIP)LD50 oral nt3980 mg/kg (Source: NLM_CIP)LD50 oral nt2000	Benzyl acetate (140-11-4)	
L050 demai rabbit         > 5000 mg/kg (Source: JAPAN_GHS)           Ethyl mattol (4940-11-8)         1150 mg/kg (Source: NLM_CIP)           L050 oral rat         1200 mg/kg bodyweight           L050 demai rabbit         > 5000 mg/kg (Source: CLM_API)           Hexyl salicylate (6259-76-3)         USD oral rat           L050 oral rat         > 5 g/kg (Source: NLM_CIP)           L050 oral rat         > 5 g/kg (Source: NLM_CIP)           L050 oral rat         2600 mg/kg (Source: NLM_CIP)           L050 oral rat         2840 mg/kg (Source: NLM_CIP)           L050 oral rat         2840 mg/kg (Source: NLM_CIP)           L050 oral rat         2840 mg/kg (Source: NLM_CIP)           L050 oral rat         3800 mg/kg (Source: NLM_CIP)           L050 oral rat         3800 mg/kg (Source: NLM_CIP)           L050 oral rat         3800 mg/kg (Source: NLM_CIP)           L050 oral rat         3600 mg/kg (Source: NLM_CIP)           L050 oral rat         30000 mg/kg (Source: NLM_CIP)	LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
Ethyl maltol (4940-11-8)           LD50 oral rat         1150 mg/kg (Source: NLM_CIP)           LD50 oral         1200 mg/kg (Source: CAL_API)           Hexyl salcylate (6259-76-3)         2500 mg/kg (Source: CAL_API)           LD50 oral rat         > 5 g/kg (Source: NLM_CIP)           LD50 dermal rabbit         > 5000 mg/kg (Source: CAL_API)           LD50 oral rat         2840 mg/kg (Source: NLM_CIP)           LD50 oral rat         3900 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         4720 mg/kg (Source: NLM_CIP)           LD50 oral rat         38600 mg/kg (Source: NLM_CIP)           LD50 oral rat         38600 mg/kg (Source: NLM_CIP)           LD50 oral rat         39800 mg/kg (Source: NLM_CIP)           LD50 oral rat         39800 mg/kg (Source: NLM_CIP)           LD50 oral rat         2000 mg/kg (Source: NLM_CIP)           LD50 oral rat	LD50 oral	2490 mg/kg bodyweight
LD50 oral rat         1150 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         > 5000 mg/kg (Source: ECHA_API)           Hexyt salicylate (6259-76-3)            LD50 oral rat         > 5 g/kg (Source: NLM_CIP)           LD50 oral rat         > 5000 mg/kg (Source: ECHA_API)           LD50 oral rat         > 5000 mg/kg (Source: NLM_CIP)           LD50 oral rat         2640 mg/kg (Source: NLM_CIP)           Triplal (Vortocitral) (68039-49-6)            LD50 oral rat         2840 mg/kg (Source: NLM_CIP)           Topial (Vortocitral) (68039-49-6)            LD50 oral rat         2800 mg/kg (Source: NLM_CIP)           Ceraniol (106-24-1)            LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         3800 mg/kg (Source: NLM_CIP)           LD50 oral rat         3800 mg/kg (Source: NLM_CIP)           LD50 oral rat         3800 mg/kg (Source: NLM_CIP)           LD50 oral rat         2000 mg/kg (Source: NLM_CIP)           LD50 oral rat         4100 mg/kg (Sou	LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 oral         1200 mg/kg bodyweijoht           LD50 oral at         1200 mg/kg bodyweijoht           LD50 oral rat         > 5 g/kg (Source: NLM_CIP)           Hexyl salicylate (5259-76-3)         LD50 oral rat           LD50 dermal rabbit         > 5 g/kg (Source: NLM_CIP)           LD50 oral rat         > 5 g/kg (Source: NLM_CIP)           LD50 oral rat         2840 mg/kg (Source: NLM_CIP)           LD50 oral rat         2840 mg/kg (Source: NLM_CIP)           LD50 oral rat         3800 mg/kg bodyweight           LD50 oral rat         3800 mg/kg (Source: NLM_CIP)           LD50 oral rat         4720 mg/kg (Source: NLM_CIP)           LD50 oral rat         4720 mg/kg (Source: NLM_CIP)           LD50 oral rat         3880 mg/kg (Source: NLM_CIP)           LD50 oral rat         3880 mg/kg (Source: NLM_CIP)           LD50 oral rat         4100 mg/kg (Source: NLM_CIP)           LD50 oral rat         4100 mg/kg (Source: NLM_CIP)           LD50 oral rat         4100 mg/kg (Source: NLM_CIP)           LD50 oral rat         4	Ethyl maltol (4940-11-8)	
LD50 demai rabbit         > 5000 mg/kg (Source: ECHA_API)           Hexyl salicylate (6259-76-3)            LD50 demai rabbit         > 5 g/kg (Source: NLM_CIP)           LD50 demai rabbit         > 5000 mg/kg (Source: ECHA_API)           LD50 oral rat         2840 mg/kg (Source: ECHA_API)           LD50 oral rat         2840 mg/kg (Source: NLM_CIP)           Tripial (Vertocitral) (68039-49-6)            LD50 oral rat         2840 mg/kg (Source: NLM_CIP)           Tripial (Vertocitral) (68039-49-6)            LD50 oral rat         3800 mg/kg (Source: NLM_CIP)           LD50 oral rat         3800 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         4720 mg/kg (Source: NLM_CIP)           LD50 oral rat         4720 mg/kg (Source: NLM_CIP)           LD50 oral rat         3980 mg/kg (Source: NLM_CIP)           LD50 oral rat         3980 mg/kg (Source: NLM_CIP)           LD50 oral rat         4700 mg/kg (Source: NLM_CIP)           LD50 oral rat         4900 mg/kg (Source: NLM_CIP)           LD50 oral rat         2000 mg/kg (Source: NLM_CIP)           LD50 oral rat         4000 mg/kg (Source: NLM_CIP)           LD50 oral rat         4000 mg/kg (Source: NLM_CIP)           LD50 oral rat <td>LD50 oral rat</td> <td>1150 mg/kg (Source: NLM_CIP)</td>	LD50 oral rat	1150 mg/kg (Source: NLM_CIP)
Hexyl salicylate (6259-76-3)           LD50 oral rat         > 5 g/kg (Source: NLM_CIP)           LD50 dermal rabbit         > 5000 mg/kg (Source: ECHA_API)           Lemon oil (8008-56-8)         LD50 oral rat           D50 oral rat         2840 mg/kg (Source: NLM_CIP)           Triplal (Vertocitral) (68039-49-6)         LD50 oral           LD50 oral         3900 mg/kg bodyweight           Geraniol (106-24-1)         2840 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         4720 mg/kg (Source: NLM_CIP)           LD50 oral rat         3980 mg/kg (Source: NLM_CIP)           LD50 oral rat         3980 mg/kg (Source: NLM_CIP)           LD50 oral rat         4700 mg/kg (Source: NLM_CIP)           LD50 oral rat         3980 mg/kg (Source: NLM_CIP)           LD50 oral rat         5000 mg/kg (Source: NLM_CIP)           LD50 oral rat         5000 mg/kg (Source: NLM_CIP)           LD50 oral rat         50000 mg/kg	LD50 oral	1200 mg/kg bodyweight
LD56 oral rat> 5 g/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)Lemon oil (8008-56-8)2840 mg/kg (Source: NLM_CIP)Triplal (Vertocitral) (68039-49-6)1000 mg/kg bodyweightGeraniol (106-24-1)3900 mg/kg bodyweightD50 oral rat3600 mg/kg (Source: NLM_CIP)LD50 oral rat350 mg/kg (Source: NLM_CIP)LD50 oral rat4720 mg/kg (Source: NLM_CIP)LD50 oral rat3900 mg/kg (Source: NLM_CIP)LD50 oral rat1000 mg/kg (Source: NLM_CIP)LD50 oral rat2000 mg/kg (Source: NLM_CIP)LD50 oral rat50000 mg/kg (Source: NLM_CIP)LD50 oral rat50000 mg/kg (Source: NLM_CIP)LD50 oral rat50000 mg/kg (Source: CHENVIEW)acetyl cedrene (3238-55-9)2000 mg/kg (Source: CHENVIEW)LD50 oral rat6000 mg/kg (Source: ECHA_API)LD50 oral rat5000 mg/kg (Source: ECHA_API)LD50 oral rat5000 mg/kg (Source: ECHA_API)LD50 oral rat5000 mg/kg (Source: NLM_CIP)LD50 oral rat5000 mg/kg (Source: NLM_CIP)LD50 oral ra	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
LDS0 dermal rabbit         > 5000 mg/kg (Source: ECHA_API)           Lemon oli (8008-56-8)         2840 mg/kg (Source: NLM_CIP)           Tripial (Vertocitral) (68039-49-6)         3900 mg/kg bodyweight           Geraniol (106-24-1)         3800 mg/kg (Source: NLM_CIP)           DS0 oral rat         3800 mg/kg (Source: NLM_CIP)           DS0 oral rat         3800 mg/kg (Source: NLM_CIP)           DS0 oral rat         3800 mg/kg (Source: NLM_CIP)           decyl alcohol (112-30-1)         25 g/kg (Source: NLM_CIP)           DS0 oral rat         4720 mg/kg (Source: NLM_CIP)           Ethyl acetoacetate (141-97-9)         25 g/kg (Source: NLM_CIP)           LDS0 oral rat         3980 mg/kg (Source: NLM_CIP)           Amyl sailcylate (2050-08-0)         25000 mg/kg (Source: NLM_CIP)           LDS0 oral rat         3980 mg/kg (Source: NLM_CIP)           LDS0 oral rat         2000 mg/kg (Source: NLM_CIP)           LDS0 oral rat         2000 mg/kg (Source: NLM_CIP)           LDS0 oral rat         2000 mg/kg (Source: NLM_CIP)           LDS0 oral rat         5000 mg/kg (Source: CHEM/IEW)           acetyl cadrono (32388-55-9)	Hexyl salicylate (6259-76-3)	
Lemon oli (8008-56-8)           LD50 oral rat         2840 mg/kg (Source: NLM_CIP)           Tripial (Vertocitral) (68039-49-6)         1000 mg/kg bodyweight           Geraniol (106-24-1)         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           docyl alcohol (112-30-1)         100 mg/kg (Source: NL_CIP)           LD50 oral rat         4720 mg/kg (Source: NL_CIP)           Ethyl acetoacetate (141-97-9)         100 mg/kg (Source: NLM_CIP)           LD50 oral rat         3980 mg/kg (Source: NLM_CIP)           Amyl salicylate (2050-08-0)         100 mg/kg (Source: NLM_CIP)           LD50 oral rat         4100 mg/kg (Source: NLM_CIP)           LD50 oral rat         2000 mg/kg (Source: NLM_CIP)           LD50 oral rat         4100 mg/kg (Source: NLM_CIP)           LD50 oral rat         4100 mg/kg (Source: NLM_CIP)           Amyl salicylate (2050-08-0)         2000 mg/kg (Source: NLM_CIP)           LD50 oral rat         4500 mg/kg (Source: CHEM/IEW)           acetyl cedrene (32388-55-9)         1000 mg/kg (Source: CHEM/IEW)           LD50 oral rat         5000 mg/kg (Source: ECHA_API)           LD50 oral rat         5000 mg/kg (Source: NLM	LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 oral rat2840 mg/kg (Source: NLM_CIP)Tripial (Vortocitral) (68039-49-6)LD50 oral3900 mg/kg bodyweightGeraniol (106-24-1)LD50 oral rat3600 mg/kg (Source: NLM_CIP)LD50 oral rat3600 mg/kg (Source: NLM_CIP)LD50 oral rat3600 mg/kg (Source: NLM_CIP)decyl alcohol (112-30-1)> 5 g/kg (Source: NLM_CIP)LD50 oral rat4720 mg/kg (Source: NLM_CIP)LD50 oral rat3600 mg/kg (Source: NLM_CIP)LD50 oral rat3600 mg/kg (Source: NLM_CIP)LD50 oral rat3980 mg/kg (Source: NLM_CIP)LD50 oral rat3000 mg/kg (Source: NLM_CIP)LD50 oral rat3000 mg/kg (Source: NLM_CIP)LD50 oral rat4100 mg/kg (Source: NZ_CCID)LD50 oral rat2000 mg/kg (Source: NZ_CCID)LD50 oral rat5000 mg/kg (Source: NZ_CCID)LD50 oral rat400 mg/kg (Source: CHEMVIEW)acetyl cedrene (32388-55-9)>5000 mg/kg (Source: CHEMVIEW)LD50 oral rat4500 mg/kg bodyweightLD50 oral rat5000 mg/kg bodyweightLD50 oral rat5000 mg/kg Source: ECHA_API)LIme oil distilled (8008-26-2)>5000 mg/kgLD50 oral rat5000 mg/kgLD50 oral	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
Triplal (Vertocitral) (68039-49-6)           LD50 oral         3900 mg/kg bodyweight           Geraniol (106-24-1)         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg bodyweight           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           docyl alcohol (112-30-1)         > 5 g/kg (Source: NLM_CIP)           LD50 oral rat         4720 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         3560 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         3600 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         3980 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         > 5000 mg/kg (Source: NLM_CIP)           LD50 oral rat         4100 mg/kg (Source: NZ_CCID)           LD50 oral rat         4000 mg/kg (Source: NZ_CCID)           LD50 oral rat         4500 mg/kg (Source: NZ_CCID)           LD50 oral rat         5000 mg/kg (Source: CHEMVIEW)	Lemon oil (8008-56-8)	
LD50 oral         3900 mg/kg bodyweight           Geraniol (106-24-1)         1000 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         > 5 g/kg (Source: NLM_CIP)           decyl alcohol (112-30-1)         1000 mg/kg (Source: NZ_CCID)           LD50 dermal rabbit         3600 mg/kg (Source: NZ_CCID)           LD50 dermal rabbit         3600 mg/kg (Source: NLM_CIP)           Ethyl acetoacetate (141-97-9)         1000 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         3980 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         3980 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         3980 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         2000 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         2000 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         2000 mg/kg (Source: NZ_CCID)           LD50 oral rat         4100 mg/kg (Source: NZ_CCID)           LD50 oral rat         2000 mg/kg (Source: CHEMVIEW)           acetyl cedrene (32388-55-9)         1000 mg/kg (Source: CHEMVIEW)           LD50 oral rat         4500 mg/kg (Source: CHEA/PI)           LD50 oral rat         5000 mg/kg (Source: CHEA/PI)           LD50 oral rat         5000 mg/kg           LD50 oral rat         5000 mg/k	LD50 oral rat	2840 mg/kg (Source: NLM_CIP)
Geraniol (106-24-1)         LD50 oral rat       3600 mg/kg (Source: NLM_CIP)         LD50 oral       3600 mg/kg bodyweight         LD50 dermal rabbit       > 5 g/kg (Source: NLM_CIP)         decyl alcohol (112-30-1)          LD50 oral rat       4720 mg/kg (Source: NZ_CCID)         LD50 dermal rabbit       3560 mg/kg (Source: NLM_CIP)         Ethyl acetoacetate (141-97-9)          LD50 oral rat       3980 mg/kg (Source: NLM_CIP)         LD50 oral rat       3980 mg/kg (Source: NLM_CIP)         LD50 oral rat       3980 mg/kg (Source: NLM_CIP)         LD50 oral rat       4100 mg/kg (Source: NLM_CIP)         LD50 oral rat       4000 mg/kg (Source: NZ_CCID)         LD50 oral rat       4100 mg/kg (Source: NZ_CCID)         LD50 oral rat       4000 mg/kg (Source: NZ_CCID)         LD50 oral rat       4100 mg/kg (Source: NZ_CCID)         LD50 oral rat       4100 mg/kg (Source: NZ_CCID)         LD50 oral rat       5000 mg/kg (Source: NZ_CCID)         LD50 oral rat       4500 mg/kg (Source: NZ_CCID)         LD50 oral rat       5500 mg/kg (Source: CEMA_VIEW)         acetyl cedrene (32388-55-9)          LD50 oral rat       5600 mg/kg         LD50 oral rat       5600 mg/kg         LD50 oral rat <td>Triplal (Vertocitral) (68039-49-6)</td> <td></td>	Triplal (Vertocitral) (68039-49-6)	
LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral         3600 mg/kg bodyweight           LD50 dermal rabbit         > 5 g/kg (Source: NLM_CIP)           decyl alcohol (112-30-1)         4720 mg/kg (Source: NZ_CCID)           LD50 dermal rabbit         3560 mg/kg (Source: NLM_CIP)           Ethyl acetoacetate (141-97-9)         3860 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         5000 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         > 5000 mg/kg (Source: NLM_CIP)           LD50 oral rat         4100 mg/kg (Source: NLM_CIP)           LD50 oral rat         4100 mg/kg (Source: NLM_CIP)           LD50 oral rat         4100 mg/kg (Source: CHEMVIEW)           acetyl cedrene (32388-55-9)         2000 mg/kg (Source: ECHA_API)           LD50 oral rat         4500 mg/kg (Source: ECHA_API)           LIme oil distilled (8008-26-2)         2000 mg/kg (Source: ECHA_API)           LD50 oral rat         56000 mg/kg           LD50 oral rat<	LD50 oral	3900 mg/kg bodyweight
LD50 oral260 mg/kg bodyweightLD50 oral3600 mg/kg bodyweightLD50 dermal rabbit> 5 g/kg (Source: NLM_CIP)decyl alcohol (112-30-1)4720 mg/kg (Source: NZ_CCID)LD50 oral rat4720 mg/kg (Source: NZ_CCID)LD50 dermal rabbit3560 mg/kg (Source: NLM_CIP)Ethyl acetoacetate (141-97-9)1980 mg/kg (Source: NLM_CIP)LD50 oral rat3980 mg/kg (Source: NLM_CIP)Amyl salicylate (2050-08-0)1980 mg/kg (Source: NLM_CIP)Amyl salicylate (2050-08-0)2000 mg/kg (Source: NZ_CCID)LD50 oral rat4100 mg/kg (Source: NZ_CCID)LD50 oral rat2000 mg/kg (Source: CHEMVIEW)acetyl cedrene (32388-55-9)2000 mg/kg (Source: ECHA_API)LD50 oral rat4500 mg/kg (Source: ECHA_API)LIme oil distilled (8008-26-2)5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kg (Source: ECHA_API)LIme oil distilled (8008-26-2)5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat5450 mg/kg (Source: NLM_CIP)	Geraniol (106-24-1)	
LD50 dermal rabbit> 5 g/kg (Source: NLM_CIP)decyl alcohol (112-30-1)4720 mg/kg (Source: NZ_CCID)LD50 dermal rab3560 mg/kg (Source: NLM_CIP)Ethyl acetoacetate (141-97-9)LD50 oral rat3980 mg/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: NLM_CIP)LD50 oral rat2000 mg/kg (Source: NZ_CCID)LD50 oral rat4100 mg/kg (Source: NZ_CCID)LD50 oral rat2000 mg/kg (Source: NZ_CCID)LD50 oral rat4100 mg/kg (Source: NZ_CCID)LD50 oral rat4100 mg/kg (Source: CHEMVIEW)acetyl cedrene (32388-55-9)2000 mg/kg (Source: CHEMVIEW)LD50 oral4500 mg/kg (Source: ECHA_API)LIne oil distilled (8008-26-2)ECHA_API)LD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kg (Source: ECHA_API)LD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat3450 mg/kg (Source: NLM_CIP)	LD50 oral rat	3600 mg/kg (Source: NLM_CIP)
decyl alcohol (112-30-1)LD50 oral rat4720 mg/kg (Source: NZ_CCID)LD50 dermal rabbit3560 mg/kg (Source: NLM_CIP)Ethyl acetoacetate (141-97-9)LD50 oral rat3980 mg/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: NZ_CCID)LD50 oral rat2000 mg/kg (Source: NZ_CCID)LD50 oral rat2000 mg/kg (Source: CHEMVIEW)acetyl cedrene (32388-55-9)LD50 oral4500 mg/kg (Source: ECHA_API)LIne oil distilled (8008-26-2)LD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat3600 mg/kg (Source: ECHA_API)LIne oil distilled (8008-26-2)LD50 oral rat5600 mg/kgLD50 oral rat3450 mg/kg (Source: NLM_CIP)	LD50 oral	3600 mg/kg bodyweight
LD50 oral rat4720 mg/kg (Source: NZ_CCID)LD50 dermal rabbit3560 mg/kg (Source: NLM_CIP)Ethyl acetoacetate (141-97-9)1000 mg/kg (Source: NLM_CIP)LD50 oral rat3980 mg/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: NLM_CIP)Amyl salicylate (2050-08-0)1000 mg/kg (Source: NZ_CCID)LD50 oral rat4100 mg/kg (Source: NZ_CCID)LD50 oral rat2000 mg/kg (Source: CHEMVIEW)acetyl cedrene (32388-55-9)2000 mg/kg (Source: CHEMVIEW)LD50 oral4500 mg/kg (Source: ECHA_API)LD50 oral rat5000 mg/kg (Source: ECHA_API)LD50 oral rat5600 mg/kgLD50 oral rat5000 mg/kgLD50 oral rat5000 mg/kgLD50 oral rat3450 mg/kg (Source: NLM_CIP)	LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rabbit3560 mg/kg (Source: NLM_CIP)Ethyl acetoacetate (141-97-9)LD50 oral rat3980 mg/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: NLM_CIP)Amyl salicylate (2050-08-0)LD50 oral rat4100 mg/kg (Source: NZ_CCID)LD50 oral rat2000 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kg (Source: CHEMVIEW)acetyl cedrene (32388-55-9)2000 mg/kg bodyweightLD50 oral4500 mg/kg bodyweightLD50 oral rat4500 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)LD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kg (Source: NLM_CIP)	decyl alcohol (112-30-1)	
Ethyl acetoacetate (141-97-9)         LD50 oral rat       3980 mg/kg (Source: NLM_CIP)         LD50 dermal rabbit       > 5000 mg/kg (Source: NLM_CIP)         Amyl salicylate (2050-08-0)       Image: Source: NLM_CIP)         LD50 oral rat       4100 mg/kg (Source: NZ_CCID)         LD50 oral rat       2000 mg/kg (Source: CLEMVIEW)         acetyl cedrene (32388-55-9)       > 5000 mg/kg bodyweight         LD50 oral       4500 mg/kg (Source: ECHA_API)         LD50 dermal rabbit       > 5000 mg/kg (Source: ECHA_API)         LD50 oral rat       5600 mg/kg         LD50 oral rat       5600 mg/kg (Source: ECHA_API)         LD50 oral rat       5600 mg/kg         LD50 oral rat       3450 mg/kg (Source: NLM_CIP)	LD50 oral rat	4720 mg/kg (Source: NZ_CCID)
LD50 oral rat3980 mg/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: NLM_CIP)Amyl salicylate (2050-08-0)4100 mg/kg (Source: NZ_CCID)LD50 oral rat4100 mg/kg (Source: NZ_CCID)LD50 oral2000 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kg (Source: CHEMVIEW)acetyl cedrene (32388-55-9)4500 mg/kg bodyweightLD50 oral4500 mg/kg bodyweightLD50 oral> 5000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)LD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat3600 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat3600 mg/kgLD50 oral rat5000 mg/kgLD50 oral rat3450 mg/kg (Source: NLM_CIP)	LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit> 5000 mg/kg (Source: NLM_CIP)Amyl salicylate (2050-08-0)LD50 oral rat4100 mg/kg (Source: NZ_CCID)LD50 oral rat2000 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kg (Source: CHEMVIEW)acetyl cedrene (32388-55-9)LD50 oral4500 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kg bodyweightLD50 oral4500 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)LD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgLD50 dermal rabbit> 5000 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat3450 mg/kg (Source: NLM_CIP)	Ethyl acetoacetate (141-97-9)	
Amyl salicylate (2050-08-0)         LD50 oral rat       4100 mg/kg (Source: NZ_CCID)         LD50 oral       2000 mg/kg bodyweight         LD50 dermal rabbit       > 5000 mg/kg (Source: CHEMVIEW)         acetyl cedrene (32388-55-9)       4500 mg/kg bodyweight         LD50 oral       4500 mg/kg bodyweight         LD50 oral       5000 mg/kg (Source: ECHA_API)         LIme oil distilled (8008-26-2)       5600 mg/kg         LD50 oral rat       5600 mg/kg         LD50 dermal rabbit       > 5000 mg/kg (Source: ECHA_API)         LIme oil distilled (8008-26-2)       5600 mg/kg         LD50 oral rat       5600 mg/kg         LD50 dermal rabbit       > 5000 mg/kg (Source: ECHA_API)         LD50 oral rat       5600 mg/kg         LD50 oral rat       5600 mg/kg         LD50 oral rat       5600 mg/kg         LD50 oral rat       5000 mg/kg         LD50 oral rat       5600 mg/kg         LD50 oral rat       3450 mg/kg (Source: NLM_CIP)	LD50 oral rat	3980 mg/kg (Source: NLM_CIP)
LD50 oral rat4100 mg/kg (Source: NZ_CCID)LD50 oral2000 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kg (Source: CHEMVIEW)acetyl cedrene (32388-55-9)LD50 oral4500 mg/kg bodyweightLD50 oral> 5000 mg/kg (Source: ECHA_API)Lime oil distilled (8008-26-2)LD50 oral rat5600 mg/kgLD50 oral rat5600 mg/kgCitronellol Pure (106-22-9)LD50 oral rat3450 mg/kg (Source: NLM_CIP)	LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)
LD50 oral2000 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kg (Source: CHEMVIEW)acetyl cedrene (32388-55-9)LD50 oral4500 mg/kg bodyweightLD50 oral> 5000 mg/kg (Source: ECHA_API)Lime oil distilled (8008-26-2)LD50 oral rat5600 mg/kgLD50 dermal rabbit> 5000 mg/kgCitronellol Pure (106-22-9)> 5000 mg/kg (Source: NLM_CIP)	Amyl salicylate (2050-08-0)	
LD50 dermal rabbit> 5000 mg/kg (Source: CHEMVIEW)acetyl cedrene (32388-55-9)4500 mg/kg bodyweightLD50 oral4500 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)Lime oil distilled (8008-26-2)5600 mg/kgLD50 oral rat5600 mg/kgLD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)LD50 oral rat5600 mg/kgLD50 dermal rabbit> 5000 mg/kgLD50 oral rat5600 mg/kgLD50 oral rat3450 mg/kg (Source: NLM_CIP)	LD50 oral rat	4100 mg/kg (Source: NZ_CCID)
acetyl cedrene (32388-55-9)         LD50 oral       4500 mg/kg bodyweight         LD50 dermal rabbit       > 5000 mg/kg (Source: ECHA_API)         Lime oil distilled (8008-26-2)         LD50 oral rat       5600 mg/kg         LD50 dermal rabbit       > 5000 mg/kg         Citronellol Pure (106-22-9)         LD50 oral rat       3450 mg/kg (Source: NLM_CIP)	LD50 oral	2000 mg/kg bodyweight
LD50 oral4500 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)Lime oil distilled (8008-26-2)5600 mg/kgLD50 oral rat5600 mg/kgLD50 dermal rabbit> 5000 mg/kgCitronellol Pure (106-22-9)3450 mg/kg (Source: NLM_CIP)	LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit       > 5000 mg/kg (Source: ECHA_API)         Lime oil distilled (8008-26-2)	acetyl cedrene (32388-55-9)	
Lime oil distilled (8008-26-2)         LD50 oral rat       5600 mg/kg         LD50 dermal rabbit       > 5000 mg/kg         Citronellol Pure (106-22-9)         LD50 oral rat       3450 mg/kg (Source: NLM_CIP)	LD50 oral	4500 mg/kg bodyweight
LD50 oral rat     5600 mg/kg       LD50 dermal rabbit     > 5000 mg/kg       Citronellol Pure (106-22-9)       LD50 oral rat     3450 mg/kg (Source: NLM_CIP)	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
LD50 dermal rabbit     > 5000 mg/kg       Citronellol Pure (106-22-9)	Lime oil distilled (8008-26-2)	
Citronellol Pure (106-22-9)       LD50 oral rat       3450 mg/kg (Source: NLM_CIP)	LD50 oral rat	5600 mg/kg
LD50 oral rat 3450 mg/kg (Source: NLM_CIP)	LD50 dermal rabbit	> 5000 mg/kg
	Citronellol Pure (106-22-9)	
LD50 oral 3450 mg/kg bodyweight	LD50 oral rat	3450 mg/kg (Source: NLM_CIP)
	LD50 oral	3450 mg/kg bodyweight

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citronellol Pure (106-22-9)	
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)
LD50 dermal	2650 mg/kg bodyweight
Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Not classified
Respiratory or skin sensitisation :	May cause an allergic skin reaction.
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
11.2. Information on other hazards	

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Ethyl maltol (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)
Geraniol (106-24-1)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)
decyl alcohol (112-30-1)	
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethyl acetoacetate (141-97-9)	
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
Aldehyde C-6 (66-25-1)	
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
12.2. Persistence and degradability	
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Cedarwood oil, Texas (68990-83-0)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
methyl anthranilate (134-20-3)	
Partition coefficient n-octanol/water (Log Pow)	2.17 (at 22 °C)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
Ethyl maltol (4940-11-8)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)
Hexyl salicylate (6259-76-3)	
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)
Cedarwood oil, Texas (68990-83-0)	
Bioaccumulative potential	Not established.
Geraniol (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)
decyl alcohol (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)
Ethyl acetoacetate (141-97-9)	
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)
Amyl salicylate (2050-08-0)	
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetyl cedrene (32388-55-9)	
BCF - Fish [1]	(3920 dimensionless (organ w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9
Citronellol Pure (106-22-9)	
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)
Aldehyde C-6 (66-25-1)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)
12.4. Mobility in soil	
No additional information available	

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal consider	ations
13.1. Waste treatment methods	
Waste treatment methods HP Code	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>HP3 - "Flammable:" <ul> <li>flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point &gt; 55 °C and ≤ 75 °C;</li> <li>flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;</li> <li>flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;</li> <li>flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;</li> <li>water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;</li> <li>other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.</li> <li>HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.</li> <li>HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment</li> </ul> </li> </ul>

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID
--

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	Not regulated

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	Not regulated
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III	Not regulated
14.3. Transport hazard o	class(es)			
9	9	9	9	Not regulated
				Not regulated
14.4. Packing group				
111	111	III	III	Not regulated
14.5. Environmental haz	ards	·		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Not regulated
No supplementary informatic	n available			

# 14.6. Special precautions for user

Overland transport		
Classification code (ADR)	:	M6
Special provisions (ADR)	:	274, 335, 375, 601
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Special packing provisions (ADR)	:	PP1
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T4
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBV
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Loading, unloading	:	CV13
and handling (ADR)		
Hazard identification number (Kemler No.)	:	90
Orange plates	:	90
		3082
Tunnel restriction code (ADR)	:	-
EAC code	:	•3Z

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964

Inland waterway transport		
ERG code (IATA)	: 9L	
Special provisions (IATA)	: A97, A158, A1	97
CAO max net quantity (IATA)	: 450L	
CAO packing instructions (IATA)	: 964	
PCA max net quantity (IATA)	: 450L	
PCA packing instructions (IATA)	: 964	
PCA limited quantity max net quantity (IATA)	: 30kgG	
PCA Limited quantities (IATA)	: Y964	

# Classification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0

## **Rail transport**

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

EU restriction list (REA	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	Lemon oil ; Lime oil distilled ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Tuscan Vineyard #EU16935F ; Benzyl benzoate ; methyl anthranilate ; Iso E Super ; Hexyl salicylate ; Cedarwood oil, Texas ; Lemon oil ; Triplal (Vertocitral) ; Geraniol ; Amyl salicylate ; acetyl cedrene ; Lime oil distilled ; Citronellol Pure	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Tuscan Vineyard #EU16935F ; Benzyl benzoate ; Benzyl acetate ; Iso E Super ; Hexyl salicylate ; Cedarwood oil, Texas ; Lemon oil ; Triplal (Vertocitral) ; decyl alcohol ; Amyl salicylate ; acetyl cedrene ; Lime oil distilled	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Lemon oil ; Lime oil distilled ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

## **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

## Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	<ul> <li>WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).</li> <li>Is not subject of the Hazardous Incident Ordinance (12. BImSchV)</li> </ul>
Netherlands	
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Cedarwood oil, Texas,Lemon oil ,Triplal (Vertocitral) are listed

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling	<ul> <li>Lemon oil ,Triplal (Vertocitral) are listed</li> <li>None of the components are listed</li> <li>None of the components are listed</li> <li>None of the components are listed</li> </ul>
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H360FD	May damage fertility. May damage the unborn child.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 1A	Reproductive toxicity, Category 1A
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

#### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.