

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 4/1/2024 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : PINEAPPLE COCONUT #EU44205F

UFI : S6EX-X35S-200T-WMGU

Product code : EU44205F

Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE 79424 Auggen Germany

T 40 Too 4

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	<ul> <li>Vertenex; Linalool; COUMARIN; Benzyl salicylate; Orange oil; Floralozone; Helional; Hexyl cinnamic aldehyde; Hydroxy; Hexyl salicylate; Geraniol; Nerol; Triplal (Vertocitral); Canthoxal</li> </ul>
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P321 - Specific treatment (see supplemental first aid instruction on this label).

: For professional users only.

### 2.3. Other hazards

Extra phrases

Contains vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	6.2 – 12.35	Skin Sens. 1B, H317
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	1.9 – 3.75	Aquatic Chronic 2, H411

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	1.4 – 2.7	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.8 – 1.5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.6 – 1.2502	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	0.6 – 1.25	Aquatic Chronic 2, H411
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.6 – 1.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.5 – 1.05	Aquatic Chronic 3, H412
Cedrol	CAS-No.: 77-53-2 EC-No.: 201-035-6	0.5 – 1	Aquatic Chronic 2, H411
2(3H)-Furanone, 5-heptyldihydro-	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	0.5 – 1	Aquatic Chronic 3, H412
Floralozone	CAS-No.: 67634-15-5 EC-No.: 266-819-2 REACH-no: 01-2120758796- 34	0.5 – 0.95	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.4 – 0.85	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.4 – 0.75	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.28932 – 0.542475	Not classified

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.202 – 0.541	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cedarwood oil, Virginia	CAS-No.: 8000-27-9 EC-No.: 285-370-3	0.3 – 0.5	Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.2 – 0.35	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.13096 – 0.25805	Eye Irrit. 2, H319 Skin Sens. 1B, H317
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.1 – 0.25	Acute Tox. 4 (Oral), H302
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.1 – 0.25	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.12 – 0.24	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.1 – 0.203	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Diphenyl oxide substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	0.1 – 0.2	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.08 – 0.16	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Canthoxal	CAS-No.: 5462-06-6 EC-No.: 226-749-5	0.1 – 0.15	Skin Sens. 1B, H317 Aquatic Chronic 3, H412
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole substance listed as REACH Candidate (2-(2H- benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV-329)) vPvB substance	CAS-No.: 3147-75-9 EC-No.: 221-573-5 REACH-no: 01-2119971797- 16	0.1 – 0.1	Aquatic Chronic 4, H413

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.015	Flam. Liq. 3, H226
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0001	Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### **6.2. Environmental precautions**

Avoid release to the environment.

4/1/2024 (Issue date) EN (English) 5/26

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	

# Safety Data Sheet

Benzyl acetate (140-11-4)	
Portugal - Occupational Exposure Limits	
OEL TWA	10 ppm
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
Romania - Occupational Exposure Limits	
OEL TWA	50 mg/m³
	8 ppm
OEL STEL	80 mg/m³
	13 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	62 mg/m³
	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Carbitol (111-90-0)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	35 mg/m³
	6 ppm
MAK (OEL STEL)	140 mg/m³
	24 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	50.1 mg/m³
	10 ppm
OEL chemical category	Skin notation
Germany - Occupational Exposure Limits (TRGS 90	00)
AGW (OEL TWA)	35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Slovenia - Occupational Exposure Limits	
OEL TWA	35 mg/m³
	6 ppm
OEL STEL	70 mg/m³
	12 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	80 mg/m³
	15 ppm
KGV (OEL STEL)	170 mg/m³
	30 ppm

# Safety Data Sheet

Carbitol (111-90-0)		
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	50 mg/m³ (aerosol, inhalable dust, vapour)	
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)	
benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	4.4 mg/m³	
	1 ppm	
HTP (OEL C)	17.4 mg/m³	
	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
Diphenyl oxide (101-84-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	7 mg/m³	
	1 ppm	
IOEL STEL	14 mg/m³	
	2 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	7 mg/m³	
	1 ppm	
MAK (OEL STEL)	14 mg/m³	
	2 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	7 mg/m³ (vapor)	
	1 ppm (vapor)	
OEL STEL	14 mg/m³ (vapor)	
	2 ppm (vapor)	

# Safety Data Sheet

Sulgaria - Occupational Exposure Limits	Diphenyl oxide (101-84-8)		
1 ppm	Bulgaria - Occupational Exposure Limits		
OEL STEL         14 mg/m³           2 ppm           Croatia - Occupational Exposure Limits           GVI (OEL TWA)         7 mg/m³           1 ppm           KGVI (OEL STEL)         14 mg/m³           Cyprus - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm           OEL STEL         14 mg/m³           Czech Republic - Occupational Exposure Limits           PEL (OEL TWA)         5 mg/m³           Denmark - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm           OEL STEL         14 mg/m³           Estonia - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm           OEL TWA         1 ppm           OEL STEL         14 mg/m³           1 ppm         1 ppm           OEL STEL         14 mg/m³           Finland - Occupational Exposure Limits         7 mg/m³           Finland - Occupational Exposure Limits         7 mg/m³           HTP (OEL TWA)         7 mg/m³           1 ppm         1 ppm	OEL TWA	7 mg/m³	
2 ppm		1 ppm	
Croatia - Occupational Exposure Limits  GVI (OEL TWA)  7 mg/m³ 1 ppm  KGVI (OEL STEL)  14 mg/m³ 2 ppm  Cyprus - Occupational Exposure Limits  OEL TWA  7 mg/m³ 1 ppm  OEL STEL  14 mg/m³ 2 ppm  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA)  5 mg/m³ Denmark - Occupational Exposure Limits  OEL TWA  7 mg/m³ 1 ppm  OEL STEL  14 mg/m³ 1 ppm  OEL STEL  15 mg/m³ 1 ppm  OEL STEL  16 mg/m³ 1 ppm  OEL STEL  17 mg/m³ 1 ppm  OEL STEL  18 mg/m³ 1 ppm  OEL STEL  19 mg/m³ 1 ppm  OEL TWA  7 mg/m³ 1 ppm  Finland - Occupational Exposure Limits  OEL TWA  7 mg/m³ 1 ppm  OEL STEL  14 mg/m³ 2 ppm  Finland - Occupational Exposure Limits  OEL TWA  1 mg/m³ 1 ppm  Finland - Occupational Exposure Limits  OEL STEL  14 mg/m³ 1 ppm  Finland - Occupational Exposure Limits  OEL TWA)  1 mg/m³ 1 ppm  Finland - Occupational Exposure Limits	OEL STEL	14 mg/m³	
T mg/m³   1 ppm   T mg/m³		2 ppm	
1 ppm	Croatia - Occupational Exposure Limits		
KGVI (OEL STEL)         14 mg/m²           2 ppm           Cyprus - Occupational Exposure Limits           7 mg/m³           1 ppm           OEL STEL         14 mg/m³           2 ppm           Czech Republic - Occupational Exposure Limits           PEL (OEL TWA)         5 mg/m³           Denmark - Occupational Exposure Limits           OEL STEL         14 mg/m³           Det TWA         7 mg/m³           Det TWA         7 mg/m³           Det STEL         14 mg/m³	GVI (OEL TWA)	7 mg/m³	
2 ppm		1 ppm	
Cyprus - Occupational Exposure Limits  OEL TWA  7 mg/m³ 1 ppm  OEL STEL  14 mg/m³ 2 ppm  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA)  5 mg/m³ 1 ppm  OEL TWA  CEL TWA  7 mg/m³ 1 ppm  OEL STEL  14 mg/m³ 2 ppm  Estonia - Occupational Exposure Limits  OEL TWA  7 mg/m³ 1 ppm  OEL STEL  14 mg/m³ 2 ppm  Estonia - Occupational Exposure Limits  OEL TWA  7 mg/m³ 1 ppm  OEL STEL  14 mg/m³ 2 ppm  Finland - Occupational Exposure Limits  Finland - Occupational Exposure Limits  Finland - Occupational Exposure Limits  HTP (OEL STEL)  14 mg/m³ 1 ppm  1 ppm  1 ppm	KGVI (OEL STEL)	14 mg/m³	
OEL TWA         7 mg/m³           1 ppm           OEL STEL         14 mg/m³           Czech Republic - Occupational Exposure Limits           PEL (OEL TWA)         5 mg/m³           Denmark - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm           OEL STEL         14 mg/m³           2 ppm           Estonia - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm           OEL STEL         14 mg/m³           2 ppm           Finland - Occupational Exposure Limits           Finland - Occupational Exposure Limits           HTP (OEL TWA)         7 mg/m³           1 ppm           HTP (OEL STEL)         14 mg/m³		2 ppm	
1 ppm	Cyprus - Occupational Exposure Limits		
OEL STEL         14 mg/m³           2 ppm           Czech Republic - Occupational Exposure Limits           PEL (OEL TWA)         5 mg/m³           Denmark - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm           OEL STEL         14 mg/m³           2 ppm           Estonia - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm           OEL STEL         14 mg/m³           2 ppm           Finland - Occupational Exposure Limits           HTP (OEL TWA)         7 mg/m³           1 ppm           HTP (OEL TWA)         1 ppm           HTP (OEL STEL)         14 mg/m³	OEL TWA	7 mg/m³	
2 ppm		1 ppm	
Czech Republic - Occupational Exposure Limits           PEL (OEL TWA)         5 mg/m³           Denmark - Occupational Exposure Limits         7 mg/m³           OEL TWA         14 mg/m³           0EL STEL         14 mg/m³           Estonia - Occupational Exposure Limits         7 mg/m³           OEL TWA         7 mg/m³           1 ppm         14 mg/m³           OEL STEL         14 mg/m³           Finland - Occupational Exposure Limits         Finland - Occupational Exposure Limits           HTP (OEL TWA)         7 mg/m³           1 ppm         1 ppm           HTP (OEL STEL)         14 mg/m³	OEL STEL	14 mg/m³	
PEL (OEL TWA)         5 mg/m³           Denmark - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm         14 mg/m³           2 ppm         2 ppm           Estonia - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm         14 mg/m³           2 ppm         2 ppm           Finland - Occupational Exposure Limits           HTP (OEL TWA)         7 mg/m³           1 ppm         1 ppm           HTP (OEL STEL)         14 mg/m³		2 ppm	
Denmark - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm         14 mg/m³           2 ppm         2 ppm           Estonia - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm           OEL STEL         14 mg/m³           2 ppm           Finland - Occupational Exposure Limits           HTP (OEL TWA)         7 mg/m³           1 ppm           HTP (OEL STEL)         14 mg/m³	Czech Republic - Occupational Exposure Limits		
OEL TWA         7 mg/m³           1 ppm         14 mg/m³           0EL STEL         14 mg/m³           Estonia - Occupational Exposure Limits         7 mg/m³           0EL TWA         7 mg/m³           1 ppm         0 mg/m³           0EL STEL         14 mg/m³           2 ppm         1 mg/m³           Finland - Occupational Exposure Limits         7 mg/m³           HTP (OEL TWA)         7 mg/m³           1 ppm         14 mg/m³	PEL (OEL TWA)	5 mg/m³	
1 ppm   1 ppm   1 ppm   1 ppm   2 pp	Denmark - Occupational Exposure Limits		
OEL STEL         14 mg/m³           Estonia - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm           OEL STEL         14 mg/m³           2 ppm           Finland - Occupational Exposure Limits           HTP (OEL TWA)         7 mg/m³           1 ppm           HTP (OEL STEL)         14 mg/m³	OEL TWA	7 mg/m³	
2 ppm		1 ppm	
Estonia - Occupational Exposure Limits           OEL TWA         7 mg/m³           1 ppm         14 mg/m³           2 ppm         2 ppm           Finland - Occupational Exposure Limits           HTP (OEL TWA)         7 mg/m³           1 ppm           HTP (OEL STEL)         14 mg/m³	OEL STEL	14 mg/m³	
OEL TWA       7 mg/m³         1 ppm         OEL STEL       14 mg/m³         2 ppm         Finland - Occupational Exposure Limits         HTP (OEL TWA)       7 mg/m³         1 ppm         HTP (OEL STEL)       14 mg/m³		2 ppm	
1 ppm	Estonia - Occupational Exposure Limits		
OEL STEL         14 mg/m³           2 ppm           Finland - Occupational Exposure Limits           HTP (OEL TWA)         7 mg/m³           1 ppm           HTP (OEL STEL)         14 mg/m³	OEL TWA	7 mg/m³	
2 ppm		1 ppm	
Finland - Occupational Exposure Limits           HTP (OEL TWA)         7 mg/m³           1 ppm           HTP (OEL STEL)         14 mg/m³	OEL STEL	14 mg/m³	
HTP (OEL TWA)  7 mg/m³  1 ppm  HTP (OEL STEL)  14 mg/m³		2 ppm	
1 ppm  HTP (OEL STEL)  14 mg/m³	Finland - Occupational Exposure Limits		
HTP (OEL STEL)  14 mg/m³	HTP (OEL TWA)	7 mg/m³	
		1 ppm	
2 nnm	HTP (OEL STEL)	14 mg/m³	
		2 ppm	
France - Occupational Exposure Limits			
VME (OEL TWA) 7 mg/m³ (indicative limit)	VME (OEL TWA)	7 mg/m³ (indicative limit)	
1 ppm (indicative limit)		1 ppm (indicative limit)	
VLE (OEL C/STEL)  14 mg/m³ (indicative limit)	VLE (OEL C/STEL)	14 mg/m³ (indicative limit)	
2 ppm (indicative limit)		2 ppm (indicative limit)	

# Safety Data Sheet

Diphenyl oxide (101-84-8)		
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	
	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	200 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	7 mg/m³	
CK (OEL STEL)	14 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	7 mg/m³ (vapour)	
	1 ppm (vapour)	
OEL STEL	14 mg/m³ (vapour)	
	2 ppm (vapour)	
Italy - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	7 mg/m³	
	1 ppm	
TPRV (OEL STEL)	14 mg/m³	
	2 ppm	
Luxembourg - Occupational Exposure Limits	·	
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	

# Safety Data Sheet

Diphenyl oxide (101-84-8)		
Malta - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	7 mg/m³	
	1 ppm	
TGG-15min (OEL STEL)	14 mg/m³	
	2 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	7 mg/m³	
NDSCh (OEL STEL)	14 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm (vapor)	
OEL STEL	14 mg/m³ (indicative limit value)	
	2 ppm (indicative limit value-vapor)	
Romania - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	7 mg/m³	
	1 ppm	
NPHV (OEL C)	7.1 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	7.1 mg/m³ (vapor)	
	1 ppm (vapor)	
VLA-EC (OEL STEL)	14.2 mg/m³ (vapor)	
	2 ppm (vapor)	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	7 mg/m³	

# Safety Data Sheet

Diphenyl oxide (101-84-8)		
	1 ppm	
KGV (OEL STEL)	14 mg/m³	
	2 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	7 mg/m³	
	1 ppm	
WEL STEL (OEL STEL)	14 mg/m³	
	2 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	7 mg/m³	
	1 ppm	
Korttidsverdi (OEL STEL)	14 mg/m³ (value from the regulation)	
	2 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	7 mg/m³ (aerosol, vapour)	
	1 ppm (aerosol, vapour)	
KZGW (OEL STEL)	14 mg/m³ (aerosol, vapour)	
	2 ppm (aerosol, vapour)	
OEL chemical category	Category 2 reproductive toxin	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	1 ppm (vapor)	
ACGIH OEL STEL	2 ppm (vapor fraction)	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m³	
	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m³	
NDSCh (OEL STEL)	80 mg/m³	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
	1	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA 100 mg/m³		
	15 ppm	
OEL STEL	200 mg/m³	
	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

characteristic. Odour Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available : > 93 °C Flash point : Not available Auto-ignition temperature Decomposition temperature : Not available : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : ≈ 0.92 Relative density : Not available Relative vapour density at 20°C Particle characteristics : Not applicable

## 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

## 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation) :	Not classified		
Vertenex (32210-23-4)	Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)		
LD50 oral	3370 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Ethylene brassylate (105-95-3)			
LD50 oral rat	> 5000 mg/kg (Source: ECHA)		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)		
Linalool (78-70-6)			
LD50 oral	2790 mg/kg bodyweight		
COUMARIN (91-64-5)			
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)		
LD50 dermal rat	293 mg/kg (Source: ECHA_API)		
Benzyl salicylate (118-58-1)			
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)		
LD50 oral	2200 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Verdox (88-41-5)			
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)		
LD50 oral	4600 mg/kg bodyweight		
Orange oil (8008-57-9)			
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Benzyl acetate (140-11-4)			
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)		
LD50 oral	2490 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)		
Cedrol (77-53-2)			
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)		
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)			
LD50 oral rat	18500 mg/kg (Source: NLM_CIP)		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA)		

4/1/2024 (Issue date) EN (English) 15/26

# Safety Data Sheet

Helional (1205-17-0)		
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Carbitol (111-90-0)		
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)	
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)	
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)	
Hydroxy (107-75-5)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Cedarwood oil, Virginia (8000-27-9)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)	
LD50 oral	3600 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
Nerol (106-25-2)		
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)	
LD50 oral	4500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
Allyl heptanoate (142-19-8)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	218 mg/kg	
LD50 dermal rabbit	810 mg/kg (Source: ECHA_API)	
LD50 dermal	810 mg/kg	
benzaldehyde (100-52-7)		
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)	
Allyl caproate (123-68-2)		
LD50 oral	218 mg/kg	
LD50 dermal rabbit	820 mg/kg (Source: ECHA_API)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Allyl caproate (123-68-2)		
LD50 dermal	300 mg/kg	
Triplal (Vertocitral) (68039-49-6)		
LD50 oral	2330 mg/kg	
Diphenyl oxide (101-84-8)		
LD50 oral rat	2450 mg/kg (Source: NLM_CIP)	
LD50 oral	2830 mg/kg bodyweight	
LD50 dermal rabbit	> 7940 mg/kg (Source: NLM_CIP)	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h	
Canthoxal (5462-06-6)	1.0 mg//m	
LD50 oral	4000 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	(3147-75-9)	
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rat	2000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Aldehyde C-6 (66-25-1)		
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)	
Alcohol C-10 (112-30-1)		
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)	
Skin corrosion/irritation :	Not classified	
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	(3147-75-9)	
pH	5.6 20-25 °C	
Serious eye damage/irritation :	Not classified	
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	(3147-75-9)	
рН	5.6 20-25 °C	
	May cause an allergic skin reaction.	
3	Not classified	
<u> </u>	Not classified	
COUMARIN (91-64-5)		
IARC group	3 - Not classifiable	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
,	Not classified	
3 .	Not classified	
	Not classified Not classified	
Aspiration hazard :  Orange oil (8008-57-9)	INUL GIASSIIICU	
	Yes	
Hydrocarbon	165	

4/1/2024 (Issue date) EN (English) 17/26

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	
Viscosity, kinematic	Not applicable

# 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

и	7	1. T	OVI	Ci	11/
	<b>4</b> .		UAI	CI.	LV

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

: Not classified

effects in the environment. Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

: Harmful to aquatic life with long lasting effects. Hazardous to the aquatic environment, long-term

See	(chronic)		
Linalool (78-70-6)  EC50 96h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus)  Benzyl salicylate (118-58-1)  LC50 - Fish [1] 1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2(34) - Furanone, 5-heptyldihydro- (104-67-6)  LC50 - Fish [1] 569 mg/l 96 h  EC50 - Crustacea [1] 5.85 mg/l 48 h  EC50 - Other aquatic organisms [1] 5.94 mg/l 72 h  Carbitol (111-90-0)  LC50 - Fish [1] 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)  LC50 - Fish [2] 19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)  EC50 - Crustacea [1] 3940 – 4670 mg/l (Exposure time: 48 h - Species: Danio rerio [static] Source: ECHA)  Nerol (106-24-1)  LC50 - Fish [1] 22 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  Nerol (106-25-2)  LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  LC50 - Fish [1] 10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  LC50 - Fish [2] 12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)  Allyl caproate (123-68-2)  LC50 - Fish [1] 0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	Vertenex (32210-23-4)		
Benzyl salicylate (118-58-1)   1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)	
Benzyl salicylate (118-58-1)   1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	Linalool (78-70-6)		
1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA    2(3H)-Furanone, 5-heptyldihydro- (104-67-6)    2(2H)-Furanone, 5-heptyldihydro-	EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	Benzyl salicylate (118-58-1)		
S69 mg/l 96 h   S650 - Crustacea [1]   S69 mg/l 96 h   S650 - Crustacea [1]   S.85 mg/l 48 h   S.94 mg/l 72 h   S.94 mg/l 72 h   S.94 mg/l 72 h   S.95 mg/l 48 h   S.94 mg/l 72 h   S.95 mg/l 48 h   S.94 mg/l 72 h   S.95 mg/l 48 h   S.94 mg/l 72 h   S.95 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)   Source: EPA   So	LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
S.85 mg/l 48 h   S.85 mg/l 48 h	2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
EC50 - Other aquatic organisms [1] 5.94 mg/l 72 h  Carbitol (111-90-0)  LC50 - Fish [1] 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)  LC50 - Fish [2] 19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)  EC50 - Crustacea [1] 3940 - 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)  Geraniol (106-24-1)  LC50 - Fish [1] 22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)  Nerol (106-25-2)  LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  benzaldehyde (100-52-7)  LC50 - Fish [1] 10.6 - 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  LC50 - Fish [2] 12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  Allyl caproate (123-68-2)  LC50 - Fish [1] 0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	LC50 - Fish [1]	569 mg/l 96 h	
Carbitol (111-90-0)  LC50 - Fish [1] 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)  LC50 - Fish [2] 19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)  EC50 - Crustacea [1] 3940 - 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)  Geraniol (106-24-1)  LC50 - Fish [1] 22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)  Nerol (106-25-2)  LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  benzaldehyde (100-52-7)  LC50 - Fish [1] 10.6 - 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  LC50 - Fish [2] 12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  Allyl caproate (123-68-2)  LC50 - Fish [1] 0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	EC50 - Crustacea [1]	5.85 mg/l 48 h	
LC50 - Fish [1] 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) LC50 - Fish [2] 19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)  EC50 - Crustacea [1] 3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)  Geraniol (106-24-1) LC50 - Fish [1] 22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)  Nerol (106-25-2) LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  Denzaldehyde (100-52-7) LC50 - Fish [1] 10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  LC50 - Fish [2] 12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  Allyl caproate (123-68-2) LC50 - Fish [1] 0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h	
19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)   3940 - 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)	Carbitol (111-90-0)		
Source: EPA)  3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)  Geraniol (106-24-1)  LC50 - Fish [1]  22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)  Nerol (106-25-2)  LC50 - Fish [1]  20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  benzaldehyde (100-52-7)  LC50 - Fish [1]  10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  LC50 - Fish [2]  12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  Allyl caproate (123-68-2)  LC50 - Fish [1]  0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
Geraniol (106-24-1)  LC50 - Fish [1]  22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)  Nerol (106-25-2)  LC50 - Fish [1]  20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  benzaldehyde (100-52-7)  LC50 - Fish [1]  10.6 - 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  LC50 - Fish [2]  12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  Allyl caproate (123-68-2)  LC50 - Fish [1]  0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	LC50 - Fish [2]		
LC50 - Fish [1]  22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)  Nerol (106-25-2)  LC50 - Fish [1]  20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  benzaldehyde (100-52-7)  LC50 - Fish [1]  10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  LC50 - Fish [2]  12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  Allyl caproate (123-68-2)  LC50 - Fish [1]  0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Nerol (106-25-2)  LC50 - Fish [1]  20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  benzaldehyde (100-52-7)  LC50 - Fish [1]  10.6 - 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  LC50 - Fish [2]  12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  Allyl caproate (123-68-2)  LC50 - Fish [1]  0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	Geraniol (106-24-1)		
20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  benzaldehyde (100-52-7)  LC50 - Fish [1]  10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  LC50 - Fish [2]  12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  Allyl caproate (123-68-2)  LC50 - Fish [1]  0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)	
benzaldehyde (100-52-7)  LC50 - Fish [1]  10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  LC50 - Fish [2]  12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  Allyl caproate (123-68-2)  LC50 - Fish [1]  0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	Nerol (106-25-2)		
10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)  12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  Allyl caproate (123-68-2)  LC50 - Fish [1]  0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Source: EPA)  12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  Allyl caproate (123-68-2)  LC50 - Fish [1]  0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	benzaldehyde (100-52-7)		
Allyl caproate (123-68-2)  LC50 - Fish [1]  0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	LC50 - Fish [1]		
LC50 - Fish [1]  0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)	
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)	Allyl caproate (123-68-2)		
	LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
LC50 - Fish [1] > 100 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)	2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)		
	LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)	

# Safety Data Sheet

2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)		
EC50 - Other aquatic organisms [1]	100 mg/l Daphnia magna	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
12.2. Persistence and degradability		
PINEAPPLE COCONUT #EU44205F		
Persistence and degradability	Rapidly degradable	
Vertenex (32210-23-4)		
Persistence and degradability	Rapidly degradable	
Ethylene brassylate (105-95-3)		
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
COUMARIN (91-64-5)		
Persistence and degradability	Rapidly degradable	
Benzyl salicylate (118-58-1)		
Persistence and degradability	Rapidly degradable	
Verdox (88-41-5)		
Persistence and degradability	Rapidly degradable	
Orange oil (8008-57-9)		
Persistence and degradability	Rapidly degradable	
Benzyl acetate (140-11-4)		
Persistence and degradability	Rapidly degradable	
Cedrol (77-53-2)		
Persistence and degradability	Rapidly degradable	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
Persistence and degradability	Rapidly degradable	
Floralozone (67634-15-5)		
Persistence and degradability	Rapidly degradable	
Helional (1205-17-0)		
Persistence and degradability	Rapidly degradable	

# Safety Data Sheet

Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
Carbitol (111-90-0)		
Persistence and degradability	Rapidly degradable	
Hydroxy (107-75-5)		
Persistence and degradability	Rapidly degradable	
Cedarwood oil, Virginia (8000-27-9)		
Persistence and degradability	Rapidly degradable	
Hexyl salicylate (6259-76-3)		
Persistence and degradability	Rapidly degradable	
Geraniol (106-24-1)		
Persistence and degradability	Rapidly degradable	
Nerol (106-25-2)		
Persistence and degradability	Rapidly degradable	
Allyl heptanoate (142-19-8)		
Persistence and degradability	Rapidly degradable	
benzaldehyde (100-52-7)		
Persistence and degradability	Rapidly degradable	
Allyl caproate (123-68-2)		
Persistence and degradability	Rapidly degradable	
Triplal (Vertocitral) (68039-49-6)		
Persistence and degradability	Rapidly degradable	
Diphenyl oxide (101-84-8)		
Persistence and degradability	Rapidly degradable	
Canthoxal (5462-06-6)		
Persistence and degradability	Rapidly degradable	
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	(3147-75-9)	
Persistence and degradability	Rapidly degradable	
Aldehyde C-6 (66-25-1)		
Persistence and degradability	Rapidly degradable	
Alcohol C-10 (112-30-1)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
Vertenex (32210-23-4)		
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)	

# Safety Data Sheet

Ethylene brassylate (105-95-3)		
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)	
Benzyl salicylate (118-58-1)		
Partition coefficient n-octanol/water (Log Pow)	4	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)	
Helional (1205-17-0)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)	
Carbitol (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.8	
Hydroxy (107-75-5)		
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)	
Hexyl salicylate (6259-76-3)		
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)	
Geraniol (106-24-1)		
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)	
Nerol (106-25-2)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)	
Allyl heptanoate (142-19-8)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)	
benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
Allyl caproate (123-68-2)		
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C (at pH 5)	
Diphenyl oxide (101-84-8)		
BCF - Fish [1]	(470 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	4.21 (at 25 °C)	
Canthoxal (5462-06-6)		
Partition coefficient n-octanol/water (Log Pow)	2.5 (at 25 °C)	
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	(3147-75-9)	
BCF - Fish [1]	(461 L/kg (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	> 6	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

Component	
Substance(s) meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (3147-75-9)

### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
4.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.3. Transport hazard	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.5. Environmental haz	zards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 14.6. Special precautions for user

#### **Overland transport**

Not applicable

### Transport by sea

Not applicable

### Air transport

Not applicable

#### **Inland waterway transport**

Not applicable

#### Rail transport

Not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Orange oil ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	PINEAPPLE COCONUT #EU44205F; Vertenex; Linalool; Benzyl salicylate; Orange oil; Floralozone; Helional; Hexyl cinnamic aldehyde; Hydroxy; Cedarwood oil, Virginia; Hexyl salicylate; Geraniol; Nerol; Allyl heptanoate; benzaldehyde; Allyl caproate; Triplal (Vertocitral); Canthoxal	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	PINEAPPLE COCONUT #EU44205F; Ethylene brassylate; Benzyl salicylate; Verdox; Orange oil; Benzyl acetate; 2(3H)-Furanone, 5-heptyldihydro-; Floralozone; Helional; Hexyl cinnamic aldehyde; Cedarwood oil, Virginia; Hexyl salicylate; Allyl heptanoate; Allyl caproate; Triplal (Vertocitral); Canthoxal; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Orange oil ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: 2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole (EC 221-573-5, CAS 3147-75-9)

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 15.1.2. National regulations

#### France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

#### **Netherlands**

ABM category : Z(2) - biodegradable substances with hazardous properties for humans and the environment (carcinogenicity/ mutagenicity/reprotoxicity/bioacumulative potential or toxicity)

SZW-lijst van kankerverwekkende stoffen

: Orange oil ,Floralozone,Cedarwood oil, Virginia,Triplal (Vertocitral) are listed
SZW-lijst van mutagene stoffen

: Orange oil ,Floralozone,Cedarwood oil, Virginia,Triplal (Vertocitral) are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

#### **Denmark**

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.