

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/1/2024 Revision date: 8/1/2024 Supersedes version of: 5/15/2023 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: CHESTNUT HONEY #EU46278F
UFI	: Q654-540Q-000Q-69GK
Product code	: EU46278F
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use,Professional use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH Mittlerer Weg 35 DE 79424 Auggen Germany T 49-7631-931-8900 SDS@frenchcolor.com, www.frenchcolor.com

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Warning

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Linalool; benzyl alcohol; Cinnamic aldehyde; Patchouli oil; Hexyl cinnamic aldehyde; beta-Caryophyllene; Clove Leaf Oil; Triplal (Vertocitral); Cedramber; Benzyl salicylate; COUMARIN
Hazard statements (CLP)	 H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water.
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenylethyl alcohol (Fragrance)	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	2.3 – 4.5455	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone (Fragrance)	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	2.3 – 4.5455	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Linalool (Fragrance)	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.9 – 1.8636	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
benzyl alcohol (Fragrance) substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.9 – 1.8182	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Sandela (Fragrance)	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.7 – 1.3636	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Vanillin (Fragrance)	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	0.7 – 1.3636	Eye Irrit. 2, H319
Cedarwood oil, Texas (Fragrance)	CAS-No.: 68990-83-0 EC-No.: 294-461-7	0.6 – 1.2273	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cinnamic aldehyde (Fragrance)	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.5 – 0.9091	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
Patchouli oil (Fragrance)	CAS-No.: 8014-09-3 EC-No.: 616-944-7 EC Index-No.: 616-944-7	0.3 – 0.6818	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde (Fragrance)	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.3 – 0.6364	Skin Sens. 1, H317 Aquatic Chronic 2, H411
beta-Caryophyllene (Fragrance)	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.2 – 0.4545	Asp. Tox. 1, H304 Skin Sens. 1B, H317
Clove Leaf Oil (Fragrance)	CAS-No.: 8000-34-8 EC-No.: 616-772-2	0.2 – 0.4545	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304
Triplal (Vertocitral) (Fragrance)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.2 – 0.3636	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Cedramber (Fragrance)	CAS-No.: 19870-74-7 EC-No.: 243-384-7	0.2 – 0.3636	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Benzyl salicylate (Fragrance)	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.2 – 0.3182	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Camphene (Fragrance)	CAS-No.: 79-92-5 EC-No.: 201-234-8	0.2 – 0.3182	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
COUMARIN (Fragrance)	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.1 – 0.2727	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Aldehyde C-6 (Fragrance) substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0.1 – 0.1818	Flam. Liq. 3, H226

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate (Fragrance)	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.1 – 0.1227	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

First-aid measures general	advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest.
First-aid measures after skin contact	: If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Sand. Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.
5.2. Special hazards arising from the subst	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, prote	ective equipment and emergency procedures	
6.1.1. For non-emergency personne	I de la construcción de la constru	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.	

8/1/2024 (Revision date)

Avoid breathing dust/fume/gas/mist/vapours/spray.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up :	Collect spillage. Take up liquid spill into absorbent material. Store away from other materials. Dispose of materials or solid residues at an authorized site.	

6.4. Reference to other sections

Exposure controls and personal protection. For further information refer to section 13.

7.1. Precautions for safe handling	: Ensure good ventilation of the work station. Provide good ventilation in process area to	
	. Ensure good ventilation of the work station. Provide good ventilation in process area to	
Precautions for safe handling Hygiene measures	 Provide good ventilation of the work station. I novide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions Incompatible products Incompatible materials Storage temperature Storage area Special rules on packaging Packaging materials	 Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Strong bases. Strong acids. Sources of ignition. Direct sunlight. 25 °C Store in a well-ventilated place. Store away from heat. Store in a closed container. Do not store in corrodable metal. 	
Switzerland Storage class (LK) 7.3. Specific end use(s)	: LK 10/12 - Liquids	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

benzyl alcohol (100-51-6)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA) 40 mg/m ³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzyl alcohol (100-51-6)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m³	
	10 ppm	
Germany - Occupational Exposure Limit	rs (TRGS 900)	
AGW (OEL TWA)	22 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m ³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m ³	
	5 ppm	
OEL STEL	44 mg/m³	
	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Li	mits	
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)	
	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m³	
	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m³	
NDSCh (OEL STEL)	80 mg/m ³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment: Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment. Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: >93 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic Solubility	: Not available · Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.945
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SEC	TION 10: Stability and reactivity	

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal)	Not classified Not classified Not classified	
Phenylethyl alcohol (60-12-8)		
LD50 oral rat	1609 mg/kg (Source: EPA_HPV)	
LD50 oral	1610 mg/kg	
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 4.63 mg/l/4h	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg	

Safety Data Sheet

benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
LD50 oral	1570 mg/kg	
Sandela (66068-84-6)		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 5.27 mg/l/4h	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)	
LD50 dermal	2600 mg/kg bodyweight	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Clove Leaf Oil (8000-34-8)		
LD50 oral rat	1370 mg/kg (Source: NZ_CCID)	
LD50 oral	2650 mg/kg bodyweight	
LD50 dermal rabbit	1200 mg/kg (Source: NLM_CIP)	
LD50 dermal	2500 mg/kg bodyweight	
Triplal (Vertocitral) (68039-49-6)		
LD50 oral	2330 mg/kg	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Camphene (79-92-5)		
LD50 oral rat	5600 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	

Safety Data Sheet

Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)
benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Serious eye damage/irritation:Respiratory or skin sensitisation:	Not classified Causes serious eye irritation. May cause an allergic skin reaction.
5 ,	Not classified Not classified
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
STOT-single exposure : STOT-repeated exposure :	Not classified Not classified Not classified Not classified
Camphene (79-92-5)	
Hydrocarbon	Yes
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties No additional information available 11.2.2. Other information Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met

SECTION 12: Ecological information	
12.1. Toxicity	
(acute)	Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Not classified
Hazardous to the aquatic environment, long-term : (chronic)	Toxic to aquatic life with long lasting effects.
Phenylethyl alcohol (60-12-8)	
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)

Safety Data Sheet

LC50 - Fish [2] 10 mgl (Exposure time: 96 h - Species: Lepomis macrachinus [static] Source: EPA) EC50 - Crustacce [1] 23 mgl (Exposure time: 48 h - Species: water flea) Vanillin (121-33-5) 55 - 61.3 mgl (Exposure time: 96 h - Species: Pimephales promelas [four-through] Source: EPA) LC50 - Fish [1] 88 mgl (Exposure time: 96 h - Species: Pimephales promelas [four-through] Berzyt salicylate (18-58-1) 1000 mgla (Exposure time: 96 h - Species: Danio reno [semi-static] Source: ECHA) C60 - Fish [2] 1.03 mgl (Exposure time: 96 h - Species: Brachydanio reno [four-through] Source: EC60 - Fish [1] C60 - Fish [2] 1.03 mgl (Exposure time: 96 h - Species: Brachydanio reno [four-through] Source: UCLD) LC50 - Fish [2] 100 mgl (Exposure time: 96 h - Species: Brachydanio reno [static] Source: UCLD) LC50 - Fish [2] 100 mgl (Exposure time: 96 h - Species: Daphnia magne) EC50 - Fish [2] 100 mgl (Exposure time: 96 h - Species: Daphnia magne) LC50 - Fish [2] 100 mgl (Exposure time: 96 h - Species: Daphnia magne) LC50 - Fish [2] 100 mgl (Exposure time: 96 h - Species: Daphnia magne) LC50 - Fish [1] 12 - 16 S mgl [Exposure time: 96 h - Species: Daphnia magne) LC50 - Fish [1] 12 - 16 S mgl [Exposure time: 96 h - Species: Daphnia magne) LC50 - Fish [1] 12 - 16 S mgl [Exposure time: 96 h - Species: Danio reno [semi-static] Source: ECHA) NOEC (chronic) 0 186 mgl LC50 - Fish [1] </th <th>benzyl alcohol (100-51-6)</th> <th></th>	benzyl alcohol (100-51-6)		
Vanillin (121-33-5) LC50 - Fish [1] 53 – 61.3 mgl (Exposure lime: 96 h - Species: Pimephales promelas [four-through] Source: EPA) NOEC (acute) 10000 mg/kg (Exposure lime: 96 h - Species: Eisenia foetida (soil dry weight)) Benzyl salicylate (118-58-1) LC50 - Fish [1] 1.03 mgl (Exposure lime: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Camptone (79-92-5) LC50 - Fish [1] 0.72 mgl (Exposure lime: 96 h - Species: Brachydanio rerio [four-through] Source: IUCULD) LC50 - Fish [2] 150 mgl (Exposure lime: 96 h - Species: Brachydanio rerio [four-through] Source: IUCULD) LC50 - Fish [2] 150 mgl (Exposure lime: 96 h - Species: Brachydanio rerio [four-through] Source: IUCULD) LC50 - Fish [2] 150 mgl (Exposure lime: 96 h - Species: Brachydanio rerio [static] Source: IUCLD) LC50 - Fish [2] 2 mgl (Exposure lime: 96 h - Species: Danio rerio [static] Source: IUCLD) LC50 - Fish [1] 2 - 16.5 mgl (Exposure lime: 96 h - Species: Pimephales promelas [four-through] Source: EPA) bonzyl benzoate (120-51-4) LC50 - Fish [1] LC50 - Fish [1] 2.32 mgl (Exposure lime: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mgl 12.2. Porsistence and degradability Not established. Phenylethyl alcohol (60-12-8) Persistence and deg	LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
LCS0 - Fish [1] S3 - 61.3 mgl (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LCS0 - Fish [2] 88 mgl (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) NOEC (acute) 10000 mgk (Exposure time: 96 h - Species: Dismia foetida [soit dy weight]) Barryt salicylate (18-58-1) 1.03 mgl (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Camphone (79-92-5) 0.72 mgl (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: IUCLID) LCS0 - Fish [2] 105 mgl (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID) ECS0 - Crustacea [1] 22 mgl (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID) ECS0 - Crustacea [1] 22 mgl (Exposure time: 96 h - Species: Daphnia magna) ECS0 - Crustacea [1] 22 mgl (Exposure time: 96 h - Species: Daphnia magna) ECS0 - Crustacea [1] 22 mgl (Exposure time: 96 h - Species: Disphinia magna) ECS0 - Crustacea [1] 12 - 16.5 mgl (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.188 mgl CHESTNUT HONEY #EU46278F Persistence and degradability Not established. Phonylethyl alcohol (60-12-8) Parsistence and degradability Rapidly degradable 11.10.107 (78-76-6) Persistence and degradability Rapidly degradable Daryl defordadability Rapidly	EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	
Source: FPA) Source: FPA) LC50 - Fish [2] 88 mgl (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) NOEC (acute) 000 mg/kg (Exposure time: 96 h - Species: Elsenia footda [sei dry weight]) Benzyl salicylate (118-58-1) LC50 - Fish [1] LC50 - Fish [1] 1.03 mgl (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Camphene (79-92-5) LC50 - Fish [2] LC50 - Fish [2] 150 mgl (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID) LC50 - Fish [2] 150 mgl (Exposure time: 96 h - Species: Danio rerio [static] Source: IUCLID) LC50 - Fish [2] 21 mgl (Exposure time: 96 h - Species: Danio rerio [static] Source: IUCLID) LC50 - Fish [2] 22 mgl (Exposure time: 96 h - Species: Danion rerio [static] Source: IUCLID) LC50 - Fish [1] 12 - 16.5 mgl (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) DC50 - Fish [1] 12 - 16.5 mgl (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mgl Descrit benzyl benzoate (120-51-4) 2.22 mgl (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mgl Persistence and degradability Not established. <t< td=""><td colspan="3">Vanillin (121-33-5)</td></t<>	Vanillin (121-33-5)		
NOEC (acte) 10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soii dry weight]) Berxyl salicylate (118-58-1) 1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Camphene (79-92-5) 0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through] Source: IUCLID) LC50 - Fish [1] 0.72 mg/l (Exposure time: 96 h - Species: Danho rerio [flow-through] Source: IUCLID) EC50 - Fish [2] 150 mg/l (Exposure time: 96 h - Species: Danho magna) EC50 - Crusteca [1] 2 mg/l (Exposure time: 40 h - Species: Danho magna) EC50 - Fish [2] 150 mg/l (Exposure time: 96 h - Species: Danho magna) EC50 - Fish [1] 2 2 mg/l (Exposure time: 96 h - Species: Danho magna) EC50 - Fish [1] 12 - 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) Bonzyl banzoate (120-51-4) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l 12.2. Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Persistence and degradability Persistence and degradability Rapidly degradabile 11,12,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalonyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradabile 11,1010 (78-70-6) Persistence and degradability Parsistence and degradability Rapidly degr	LC50 - Fish [1]		
Benzyl salicylate (118-58-1) LC50 - Fish [1] 1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Camphene (79-92-5) 0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID) LC50 - Fish [2] 150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID) EC50 - Crustocea [1] 22 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustocea [1] 2 mg/l (Exposure time: 96 h - Species: Daphnia magna) EC50 - Fish [2] 100 mg/l (Species: Desmodesmus subspicatus) Aldehyde C-6 (66-25-1) 12 - 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: ECHA) LC50 - Fish [1] 12 - 16.5 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l LC50 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l L2. Persistence and degradability Not established. Phenylettyl alcohol (60-12-8) Persistence and degradability Rapidly degradable L1,2,3,4,5,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl]ethanone (54464-57-2) Persistence and degradability Rapidly degradable <t< td=""><td>LC50 - Fish [2]</td><td>88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)</td></t<>	LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
LC50 - Fish [1] 1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Camphene (79-92-5) LC50 - Fish [1] 0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through] Source: IUCLID) LC50 - Fish [2] 150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID) EC50 - Crustacea [1] 22 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Fish [2] 1000 mg/l (Species: Desmodesmus subspicatus) Aldehyde C-6 (66-25-1) I2 - 16.5 mg/l (Exposure time: 96 h - Species: Dimephales promelias [flow-through] Source: EPA) Denzyl benzoato (120-51-4) I2 - 16.5 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l 12.2. Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Rapidly degradable Persistence and degradability Rapidly degradable 11.2.3.4,5.6,7.8-Octahydro-2,3.8.8-tetramethyl-2-naphthalonyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable LIalool (78-70-6) Persistence and degradability Persistence and degradability Rapidly degradable Denzyl alcohol (100-51-6) Persistence and degradability Persistence and degradability Rapidly degradable <	NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])	
Camphene (79-92-5) LCS0 - Fish [1] 0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through] Source: UCLID) LCS0 - Fish [2] 150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID) EC50 - Crustacea [1] 22 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Trustacea [1] > 1000 mg/l (Species: Desmodesmus subspicatus) Aldehyde C-6 (66-25-1) LCS0 - Fish [1] LCS0 - Fish [1] 12 - 16.5 mg/l (Exposure time: 96 h - Species: Pimephales prometas [flow-through] Source: EPA) Denzyl benzoate (120-51-4) LCS0 - Fish [1] LCS0 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l 12 Persistence and degradability Not established. Plenylethyl alcohol (60-12-8) Persistence and degradability Persistence and degradability Rapidly degradable 11.12.3,4,5,6,7,8-Otchrydro-2,3,8,8-totramethyl-2-naphthalenyl)othanone (54464-57-2) Persistence and degradability Rapidly degradable LIalool (78-70-6) Persistence and degradability Persistence and degradability Rapidly degradable Denzyl alcohol (100-51-6) Persistence and degradability Persistence and degradability	Benzyl salicylate (118-58-1)		
LCS0 - Fish [1] 0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through] Source: LCS0 - Fish [2] 150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID) ECS0 - Crustacea [1] 22 mg/l (Exposure time: 48 h - Species: Daphnia magna) ECS0 72h - Algae [1] > 1000 mg/l (Species: Desmodesmus subspicatus) Aldehyde C-6 (66-25-1) L LCS0 - Fish [1] 12 - 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] source: ECHA) benzyl benzoate (120-51-4) L LCS0 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l 12.2. Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Persistence and degradability Persistence and degradability Rapidly degradable 1-[1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Linalool (78-70-6) Persistence and degradability Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Persistence and degradability Persistence and degradability Rapidly degradable Sandela (66668-	LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
IUCLID IUCLID LCS0 - Fish [2] 150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID) ECS0 - Crustacea [1] 22 mg/l (Exposure time: 48 h - Species: Daphnia magna) ECS0 72h - Algae [1] > 1000 mg/l (Species: Desmodesmus subspicatus) Aldehyde C-6 (66-25-1) Item (Exposure time: 96 h - Species: Pimephales promelas [flow-through] source: EPA) benzyl benzoate (120-51-4) Item (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l 12.2. Persistence and degradability 0.168 mg/l CHESTNUT HONEY #EU46278F Persistence and degradability Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Persistence and degradability Persistence and degradability Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Persistence and degradability Rapidly degradable Inclusion (78-70-6) Persistence and degradability Rapidly degradable Inclusion (78-70-6) Persistence and degradability Rapidly degradable Inclusion (78-70-6) Persistence and degradability Rapidly degradable Sandela (66068-84-6)	Camphene (79-92-5)		
ECS0 - Crustacea [1] 22 mg/l (Exposure time: 48 h - Species: Daphnia magna) ECS0 - Zh - Algae [1] > 1000 mg/l (Species: Desmodesmus subspicatus) Aldehyde C-6 (66-25-1)	LC50 - Fish [1]		
ECS0 72h - Algae [1] > 1000 mg/l (Species: Desmodesmus subspicatus) Aldehyde C-6 (66-25-1) LCS0 - Fish [1] I2 - 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) benzyl benzoate (120-51-4) LCS0 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l 12.2. Persistence and degradability Not established. Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Persistence and degradability Persistence and degradability Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Linalool (78-70-6) Persistence and degradability Persistence and degradability Rapidly degradable Denzyl alcohol (100-51-6) Persistence and degradability Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Persistence and degradability Rapidly degradable	LC50 - Fish [2]	150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID)	
Aldehyde C-6 (66-25-1) I2 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) benzyl benzoate (120-51-4) I2.2 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l 12.2. Persistence and degradability In 168 mg/l CHESTNUT HONEY #EU46278F Persistence and degradability Penylethyl alcohol (60-12-8) Not established. Phenylethyl alcohol (60-12-8) Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Persistence and degradability Rapidly degradable Inalool (78-70-6) Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Rapidly degradable Sandela (66068-84-6) <t< td=""><td>EC50 - Crustacea [1]</td><td>22 mg/l (Exposure time: 48 h - Species: Daphnia magna)</td></t<>	EC50 - Crustacea [1]	22 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 - Fish [1] 12 - 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) benzyl benzoate (120-51-4) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) NOEC (chronic) 0.168 mg/l 12.2. Persistence and degradability 0.168 mg/l CHESTNUT HONEY #EU46278F Persistence and degradability Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramet/>-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Persistence and degradability Rapidly degradable Linalool (78-70-6) Rapidly degradable Persistence and degradability Rapidly degradable Denzyl alcohol (100-51-6) Rapidly degradable Persistence and degradability Rapidly degradable Sandela (66068-84-6) Rapidly degradable Persistence and degradability Rapidly degradable Sandela (66068-84-6) Rapidly degradable Persistence and degradability Rapidly degradable Sandela (66068-84-6) Rapidly degradable Persistence and degradability Rapidly degradable Sande	EC50 72h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)	
Source: EPA) benzyl benzoate (120-51-4) LC50 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l 12.2. Persistence and degradability CHESTNUT HONEY #EU46278F Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Persistence and degradability Rapidly degradable Linalool (78-70-6) Rapidly degradable Persistence and degradability Rapidly degradable Denzyl alcohol (100-51-6) Persistence and degradability Persistence and degradability Rapidly degradable Denzyl alcohol (100-51-6) Persistence and degradability Persistence and degradability Rapidly degradable Denzyl alcohol (400-51-6) Persistence and degradability Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradabi	Aldehyde C-6 (66-25-1)		
LC50 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l 12.2. Persistence and degradability CHESTNUT HONEY #EU46278F Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Linalool (78-70-6) Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Rapidly degradable Varillin (121-33-5)	LC50 - Fish [1]		
NOEC (chronic) 0.168 mg/l 12.2. Persistence and degradability CHESTNUT HONEY #EU46278F Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethylethanone (54464-57-2) Persistence and degradability Rapidly degradable Linalool (78-70-6) Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Sandela (66068-84-6) Rapidly degradable Persistence and degradability Rapidly degradable Vanillin (121-33-5) Image: Construction of the second consecond consecond construction of the second constructi	benzyl benzoate (120-51-4)		
12.2. Persistence and degradability CHESTNUT HONEY #EU46278F Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Persistence and degradability Rapidly degradable Linalool (78-70-6) Persistence and degradability Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Persistence and degradability Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Persistence and degradability Rapidly degradable	LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
CHESTNUT HONEY #EU46278F Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Linalool (78-70-6) Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Rapidly degradable Vanillin (121-33-5) Image: Comparison of Comparison	NOEC (chronic)	0.168 mg/l	
Persistence and degradability Not established. Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Linalool (78-70-6) Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Rapidly degradable	12.2. Persistence and degradability		
Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Linalool (78-70-6) Rapidly degradable Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Rapidly degradable Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Persistence and degradability Rapidly degradable	CHESTNUT HONEY #EU46278F		
Persistence and degradability Rapidly degradable 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Linalool (78-70-6) Rapidly degradable Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Rapidly degradable Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Persistence and degradability Rapidly degradable Vanillin (121-33-5) Image: Constant Stant	Persistence and degradability	Not established.	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Linalool (78-70-6) Rapidly degradable Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Rapidly degradable Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Persistence and degradability Rapidly degradable Vanillin (121-33-5) Image: Comparison of the sector of the	Phenylethyl alcohol (60-12-8)		
Persistence and degradability Rapidly degradable Linalool (78-70-6) Rapidly degradable Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Rapidly degradable Persistence and degradability Rapidly degradable Sandela (66068-84-6) Rapidly degradable Persistence and degradability Rapidly degradable Vanillin (121-33-5) Vanillin (121-33-5)	Persistence and degradability	Rapidly degradable	
Linalool (78-70-6) Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Rapidly degradable Vanillin (121-33-5)	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	rl-2-naphthalenyl)ethanone (54464-57-2)	
Persistence and degradability Rapidly degradable benzyl alcohol (100-51-6) Rapidly degradable Persistence and degradability Rapidly degradable Sandela (66068-84-6) Rapidly degradable Persistence and degradability Rapidly degradable Vanillin (121-33-5) Rapidly degradable	Persistence and degradability	Rapidly degradable	
benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Sandela (66068-84-6) Persistence and degradability Rapidly degradable Vanillin (121-33-5)	Linalool (78-70-6)		
Persistence and degradability Rapidly degradable Sandela (66068-84-6) Rapidly degradable Persistence and degradability Rapidly degradable Vanillin (121-33-5) Image: Comparison of the second se	Persistence and degradability	Rapidly degradable	
Sandela (66068-84-6) Persistence and degradability Vanillin (121-33-5)	benzyl alcohol (100-51-6)		
Persistence and degradability Rapidly degradable Vanillin (121-33-5)	Persistence and degradability	Rapidly degradable	
Vanillin (121-33-5)	Sandela (66068-84-6)		
	Persistence and degradability	Rapidly degradable	
Persistence and degradability Rapidly degradable	Vanillin (121-33-5)		
	Persistence and degradability	Rapidly degradable	

Safety Data Sheet

Cedarwood oil, Texas (68990-83-0)		
Persistence and degradability	Not established.	
Cinnamic aldehyde (104-55-2)		
Persistence and degradability	Rapidly degradable	
Patchouli oil (8014-09-3)		
Persistence and degradability	Rapidly degradable	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
beta-Caryophyllene (87-44-5)		
Persistence and degradability	Rapidly degradable	
Clove Leaf Oil (8000-34-8)		
Persistence and degradability	Rapidly degradable	
Triplal (Vertocitral) (68039-49-6)		
Persistence and degradability	Rapidly degradable	
Cedramber (19870-74-7)		
Persistence and degradability	Rapidly degradable	
Benzyl salicylate (118-58-1)		
Persistence and degradability	Rapidly degradable	
Camphene (79-92-5)		
Persistence and degradability	Rapidly degradable	
COUMARIN (91-64-5)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-6 (66-25-1)		
Persistence and degradability	Rapidly degradable	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
CHESTNUT HONEY #EU46278F		
Bioaccumulative potential	Not established.	
Phenylethyl alcohol (60-12-8)		
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)	
benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1.05	
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Cedarwood oil, Texas (68990-83-0)		
Bioaccumulative potential	Not established.	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)	
beta-Caryophyllene (87-44-5)		
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)	
Benzyl salicylate (118-58-1)		
Partition coefficient n-octanol/water (Log Pow)	4	
Camphene (79-92-5)		
Partition coefficient n-octanol/water (Log Pow)	4.22 (at 37 °C (at pH 7.2)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow) 2.3 (at 25 °C (at pH 5)		
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
Additional information :	Avoid release to the environment.	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations Ecological information HP Code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID					
ADR IMDG IATA ADN RID					
14.1. UN number or ID n	umber				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	IMDG	ΙΑΤΑ	ADN	RID	
14.2. UN proper shipping name					
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	Environmentally hazardous substance, liquid, n.o.s. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	
Transport document descri	ption				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	
14.3. Transport hazard c	lass(es)			·	
9	9	9	9	9	
14.4. Packing group					
III	III	III	III	III	
14.5. Environmental haza	ards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary informatior	n available	· ·			
4.6. Special precautions	for usor				

Overland transport

Classification code (ADR)	:	M6
Special provisions (ADR)	:	274, 335, 375, 601
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Special packing provisions (ADR)	:	PP1
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	Τ4
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBV
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV13
Hazard identification number (Kemler No.)		90
Orange plates	:	
Grange places	•	90
		3082
Tunnel restriction code (ADR)	:	-
EAC code	:	•3Z

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) IBC packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 TP1, TP29 F-A S-F A
Air transport PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	 E1 Y964 30kgG 964 450L 964 450L 964 450L A97, A158, A197, A215 9L
Inland waterway transport Classification code (ADN) Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN)	: M6 : 274, 335, 375, 601 : 5 L : E1 : T : PP : 0
Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Special packing provisions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions (RID) Tank codes for RID tanks (RID)	 M6 274, 335, 375, 601 5L E1 P001, IBC03, LP01, R001 PP1 MP19 T4 TP1, TP29 LGBV
Transport category (RID) Special provisions for carriage – Packages (RID) Special provisions for carriage - Loading, unloading and handling (RID) Colis express (express parcels) (RID) Hazard identification number (RID)	: 3 : W12 : CW13, CW31 : CE8 : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	CHESTNUT HONEY #EU46278F ; Phenylethyl alcohol ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Linalool ; benzyl alcohol ; Sandela ; Cedarwood oil, Texas ; Cinnamic aldehyde ; Patchouli oil ; Hexyl cinnamic aldehyde ; beta-Caryophyllene ; Clove Leaf Oil ; Triplal (Vertocitral) ; Cedramber ; Benzyl salicylate ; benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	CHESTNUT HONEY #EU46278F ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Sandela ; Cedarwood oil, Texas ; Cinnamic aldehyde ; Patchouli oil ; Hexyl cinnamic aldehyde ; Triplal (Vertocitral) ; Cedramber ; Benzyl salicylate ; benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Camphene ; Aldehyde C- 6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Employment restrictions Water hazard class (WGK) List of sensitizing substances (TRGS 907) Hazardous Incident Ordinance (12. BImSchV)	 Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG). WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Contains sensitizing substances according TRGS 907. Is not subject to the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Sandela,Cedarwood oil, Texas,Triplal (Vertocitral) are listed
SZW-lijst van mutagene stoffen	: Sandela,Triplal (Vertocitral) are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks Danish National Regulations	 Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information

: None.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Flam. Sol. 2	Flammable solids, Category 2	
H226	Flammable liquid and vapour.	
H228	Flammable solid.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.