

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/2/2021 Revision date: 8/2/2023 Supersedes version of: 5/25/2022 Version: 2.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form	: Mixture
Product name	: CHRISTMAS PUDDING #EU33751F
UFI	: JPF0-S3JS-5009-QUPD
Product code	: EU33751F
Type of product	: Perfumes, fragrances
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only
	Industrial
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH Mittlerer Weg 35 DE– 79424 Auggen Germany T 49-7631-931-8900 SDS@frenchcolor.com - www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Full text of H- and EUH-statements: see section 16

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317

### Adverse physicochemical, human health and environmental effects

Hazardous to the aquatic environment - Chronic Hazard, Category 3

Toxic to aquatic life with long lasting effects. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

H412

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP)	: Warning
Contains	<ul> <li>Cinnamic aldehyde; d-Limonene; COUMARIN; Eugenol; Eucalyptol; Linalool; Benzyl salicylate; Linalyl acetate; Cardamom oil; Ginger oil</li> </ul>
Hazard statements (CLP)	<ul> <li>H302 - Harmful if swallowed.</li> <li>H315 - Causes skin irritation.</li> <li>H317 - May cause an allergic skin reaction.</li> <li>H319 - Causes serious eye irritation.</li> <li>H412 - Harmful to aquatic life with long lasting effects.</li> </ul>
Precautionary statements (CLP)	<ul> <li>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</li> </ul>
Extra phrases	For professional users only.
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	6.8 – 13.5	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	4.715 – 9.46	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	4.2 - 8.4	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Methyl ester of rosin (partially hydrogenated)	CAS-No.: 8050-15-5 EC-No.: 232-476-2	3.4 – 6.75	Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	3.3 – 6.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenylpropyl alcohol	CAS-No.: 122-97-4 EC-No.: 204-587-6	0.6 – 1.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Eucalyptol	CAS-No.: 470-82-6 EC-No.: 207-431-5 REACH-no: 01-2119967772- 24	0.4 - 0.7	Flam. Liq. 3, H226 Eye Irrit. 2, H319 Skin Sens. 1, H317
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.2 – 0.4	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.2 - 0.4	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.2 – 0.356	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.1 – 0.275	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.1 – 0.25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0.03 – 0.15	Flam. Liq. 3, H226
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.03 – 0.15	Flam. Liq. 3, H226
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.1 – 0.15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Cardamom oil	CAS-No.: 8000-66-6 EC-No.: 288-922-1	0.1 – 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
zingiber officinale (ginger) root oil	CAS-No.: 8007-08-7 EC-No.: 283-634-2	0.1 – 0.1	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
p-Cymene substance with national workplace exposure limit(s) (DK, EE, LT, LV, SE)	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	0.003 – 0.03	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	<ul> <li>Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs: Wash skin with plenty of water.</li> <li>Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.</li> <li>Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.</li> </ul>	
First-aid measures after eye contact	: If eye irritation persists: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.	
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a poison center or a doctor if you feel unwell. Call a POISON CENTER/doctor if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>May cause an allergic skin reaction.</li> <li>Causes skin irritation. Irritation. May cause an allergic skin reaction.</li> <li>Causes serious eye irritation. Eye irritation.</li> </ul>	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Sand. Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the subst	tance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Combustible liquid.</li> <li>May form flammable/explosive vapour-air mixture.</li> <li>Toxic fumes may be released.</li> </ul>
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, protect	tive equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

	No shoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.

```
6.2. Environmental precautions
```

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

: Handle empty containers with care because residual vapours are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
<ul> <li>Ensure good ventilation of the work station. No open flames. No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
ing any incompatibilities
: Proper grounding procedures to avoid static electricity should be followed.
Keep in fireproof place. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
: Strong bases. Strong acids.
: Heat sources. Sources of ignition. Direct sunlight.
: 25 °C
<ul> <li>Store in a well-ventilated place. Store away from heat.</li> <li>Store in a closed container.</li> </ul>
: Do not store in corrodable metal.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m <sup>3</sup>	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m <sup>3</sup>	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m <sup>3</sup>	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m <sup>3</sup>	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m <sup>3</sup>	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m <sup>3</sup>	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	

# Safety Data Sheet

.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
IPRV (OEL TWA) [ppm]	25 ppm
TPRV (OEL STEL)	300 mg/m <sup>3</sup>
TPRV (OEL STEL) [ppm]	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	113 mg/m <sup>3</sup>
VLA-ED (OEL TWA) [2]	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
NGV (OEL TWA) [ppm]	25 ppm
KTV (OEL STEL)	300 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	140 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Skin notation
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer

# Safety Data Sheet

.betaPinene (127-91-3)		
Belgium - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m <sup>3</sup>	
TPRV (OEL STEL) [ppm]	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	113 mg/m <sup>3</sup>	
VLA-ED (OEL TWA) [2]	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m <sup>3</sup>	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m <sup>3</sup>	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
p-Cymene (99-87-6)		
Denmark - Occupational Exposure Limits		
OEL TWA [1]	135 mg/m³ (Methylisopropylbenzenes)	

# Safety Data Sheet

p-Cymene (99-87-6)	p-Cymene (99-87-6)		
OEL TWA [2]	25 ppm (Methylisopropylbenzenes)		
OEL STEL	270 mg/m³ (Methylisopropylbenzenes)		
OEL STEL [ppm]	50 ppm (Methylisopropylbenzenes)		
Estonia - Occupational Exposure Limits			
OEL TWA	140 mg/m³		
OEL TWA [ppm]	25 ppm		
OEL STEL	190 mg/m³		
OEL STEL [ppm]	35 ppm		
Latvia - Occupational Exposure Limits	·		
OEL TWA	10 mg/m³ (Cymene (2, 3, 4-isomers mixture))		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	140 mg/m <sup>3</sup>		
IPRV (OEL TWA) [ppm]	25 ppm		
TPRV (OEL STEL)	190 mg/m³		
TPRV (OEL STEL) [ppm]	35 ppm		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	140 mg/m <sup>3</sup>		
NGV (OEL TWA) [ppm]	25 ppm		
KTV (OEL STEL)	190 mg/m³		
KTV (OEL STEL) [ppm]	35 ppm		
Benzyl alcohol (100-51-6)			
Bulgaria - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Czech Republic - Occupational Exposure Limits			
PEL (OEL TWA)	40 mg/m³		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	45 mg/m³		
HTP (OEL TWA) [2]	10 ppm		
Germany - Occupational Exposure Limits (TRGS 90	00)		
AGW (OEL TWA) [1]	22 mg/m $^{3}$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Chemical category	Skin notation		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
OEL chemical category	Skin notation		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl alcohol (100-51-6)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m <sup>3</sup>	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m <sup>3</sup>	
OEL TWA [ppm]	5 ppm	
OEL STEL	44 mg/m³	
OEL STEL [ppm]	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	22 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:** Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

#### 8.2.2.3. Respiratory protection

**Respiratory protection:** Wear appropriate mask

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable,Combustible liquid
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 79 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 1.04
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

# No additional information available

9.2.2. Other safety characteristics

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Combustible liquid. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

### Not established.

#### 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined	l in Regulation (EC) No 1272/2008	
Acute toxicity (dermal)	Harmful if swallowed. Not classified Not classified	
ATE CLP (oral)	1144.585 mg/kg bodyweight	
Cinnamic aldehyde (104-55-2)	······································	
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
LD50 dermal	1100 mg/kg bodyweight	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 oral	290 mg/kg bodyweight	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
Methyl ester of rosin (partially hydrogenated)	(8050-15-5)	
LD50 oral rat	> 2000 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 10000 mg/kg (Source: ECHA_API)	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
Phenylpropyl alcohol (122-97-4)		
LD50 oral rat	2250 mg/kg (Source: NICNAS)	
LD50 oral	2275 mg/kg bodyweight	
LD50 dermal rabbit	< 5000 mg/kg (Source: NICNAS)	
LD50 dermal	5000 mg/kg bodyweight	
Eucalyptol (470-82-6)		
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)	
LD50 oral	2480 mg/kg bodyweight	

# Safety Data Sheet

.alphaPinene (80-56-8)		
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)	
.betaPinene (127-91-3)		
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
p-Cymene (99-87-6)		
LD50 oral rat	4750 mg/kg (Source: NLM_CIP)	
LD50 oral	4750 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 9.7 mg/l (Exposure time: 5 h Source: EU_CLH)	
LC50 Inhalation - Rat (Vapours)	9.7 mg/l/4h	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Amyl salicylate (2050-08-0)		
LD50 oral rat	4100 mg/kg (Source: NZ_CCID)	
LD50 oral	2000 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)	
Benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
LD50 oral	1620 mg/kg bodyweight	
LD50 dermal	2500 mg/kg bodyweight	
Cardamom oil (8000-66-6)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
zingiber officinale (ginger) root oil (8007-08-7)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
	Causes skin irritation.	
Additional information :	Causes skin irritation.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	<ul> <li>Causes serious eye irritation.</li> <li>May cause an allergic skin reaction.</li> <li>Not classified</li> <li>Not classified</li> </ul>
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and : Based on available data, the classification criteria are not met, Harmful if swallowed. symptoms

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Not classified Harmful to aquatic life with long lasting effects.	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Eucalyptol (470-82-6)		
LC50 - Fish [1]	95.4 (95.4 – 109) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
.alphaPinene (80-56-8)		
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)	
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	

# Safety Data Sheet

Benzyl salicylate (118-58-1)		
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
Benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	
12.2. Persistence and degradability		
CHRISTMAS PUDDING #EU33751F		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
CHRISTMAS PUDDING #EU33751F		
Bioaccumulative potential	Not established.	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)	
d-Limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Methyl ester of rosin (partially hydrogenated)	(8050-15-5)	
Partition coefficient n-octanol/water (Log Pow)	6.4 – 7.6 (at pH 6)	
Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
Phenylpropyl alcohol (122-97-4)		
Partition coefficient n-octanol/water (Log Pow)	1.6 (at 35 °C (at pH 7)	
Eucalyptol (470-82-6)		
Partition coefficient n-octanol/water (Log Pow)	3.4	
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.1	
p-Cymene (99-87-6)		
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 20 °C (at pH 7)	
Partition coefficient n-octanol/water (Log Kow)	0	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl salicylate (118-58-1)	
Partition coefficient n-octanol/water (Log Pow) 4	
Amyl salicylate (2050-08-0)	
BCF - Fish [1]     (1170 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)
Hexamethylindanopyran (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow) 1.05	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	

Additional information

: Avoid release to the environment.

13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/national laws and regulations.
	Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code	: HP3 - "Flammable:"
	– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil,
	diesel and light heating oils having a flash point > 55 °C and $\leq$ 75 °C;
	– flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small
	quantities, is liable to ignite within five minutes after coming into contact with air;
	<ul> <li>– flammable solid waste: solid waste which is readily combustible or may cause or</li> </ul>
	contribute to fire through friction;
	– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a
	standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14:** Transport information

### In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	I4.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	n available	· · · · · · · · · · · · · · · · · · ·		

14.6. Special precautions for user

### **Overland transport**

Not applicable

## Transport by sea

Not applicable

### Air transport

Not applicable

#### **Inland waterway transport** Not applicable

Rail transport Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) List of sensitizing substances (TRGS 907) Hazardous Incident Ordinance (12. BImSchV)	<ul> <li>WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).</li> <li>Contains sensitizing substances according TRGS 907.</li> <li>Is not subject of the Hazardous Incident Ordinance (12. BImSchV)</li> </ul>
Netherlands	
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Resin acids and Rosin acids, hydrogenated, methyl esters, Ginger oil are listed
SZW-lijst van mutagene stoffen	: Resin acids and Rosin acids, hydrogenated, methyl esters, Ginger oil are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	·
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other i	SECTION 16: Other information	
Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information

: None.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute Tox. 3 (Inhiation)         Acute toxicity (demail), Category 3           Acute Tox. 3 (Inhiation)         Acute toxicity (inhal), Category 3           Acute Tox. 3 (Inhiation)         Acute toxicity (inhal), Category 3           Acute Tox. 4 (Demail)         Acute toxicity (armal), Category 4           Acute Tox. 4 (Inhiation)         Acute toxicity (armal), Category 4           Acute Tox. 4 (Inhiation)         Acute toxicity (armal), Category 4           Acute Tox. 4 (Inhiation)         Acute toxicity (armal), Category 4           Acute Tox. 4 (Inhiation)         Acute toxicity (armal), Category 4           Acute Tox. 4 (Oran)         Acute toxicity (armal), Category 4           Acute Tox. 4 (Oran)         Acute toxicity (armal), Category 4           Acute Tox. 4 (Oran)         Acute toxicity (armal), Category 4           Acute Tox. 4 (Oran)         Acute toxicity (armal), Category 4           Acute Tox. 6 (Oran)         Acute toxicity (armal), Category 4           Acute Tox. 6 (Oran)         Hazardous to the aquatic environment - Chronic Hazard, Category 1           Acute Tox. 6 (Oran)         Apprato to the aquatic environment - Chronic Hazard, Category 3           Acute Tox. 6 (Toxicity Category 3         Category 6           Aquatic Chronic 2         Hazardous to the aquatic environment - Chronic Hazard, Category 1           Baron (Category 6 (Category 6 (Category 6 (Category 6 (Category 6 (Cat	Full text of H- and EUH	I-statements:
Acute Tox. 3 (Inhalation.dust,mist)Acute toxicity (inhalation.dust,mist) Category 3Acute Tox. 3 (Ora)Acute toxicity (dornal), Category 4Acute Tox. 4 (Dornal)Acute toxicity (dornal), Category 4Acute Tox. 4 (Oral)Acute toxicity (dornal), Category 4Acute Tox. 4 (Oral)Acute toxicity (dornal), Category 4Acute Tox. 4 (Oral)Hazardous to the aquatic environment – Acute Hazard, Category 1Aquatic Acute 1Hazardous to the aquatic environment – Chronic Hazard, Category 1Aquatic Chronic 1Hazardous to the aquatic environment – Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Aquatic Chronic 4Apartion hazard, Category 1Aquatic Chronic 4Bazardous to the aquatic environment – Chronic Hazard, Category 3Aquatic Chronic 5Serious eye damage/eye irritation, Category 2Fiam, Liq. 3Fiammable liquida, Category 3H226Fiammable liquida, Category 3H227Serious eye damage/eye irritation, Category 2H301Toxic if swallowed.H302Fiammable liquidand vapour.H303Toxic if swallowed.H304Toxic in contact with skin.H312Causes skin irritation.H314Causes skin irritation.H315Causes skin irritation.H314Suspected of damaging farility or the unborn child.H314Suspected of damaging farility or the unborn child.H314Suspected of damaging farility or the unborn child.H314Suspected of damaging farility or the unborn ch	Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
(Inhalation:dust,mist)Acute toxicity (oral), Category 3Acute Tox. 3 (Oral)Acute toxicity (dermal), Category 4Acute Tox. 4 (Inhalation)Acute toxicity (dermal), Category 4Acute Tox. 4 (Oral)Acute toxicity (ant), Category 4Acute Tox. 4 (Oral)Acute toxicity (ant), Category 4Aquatic Acute 1Hazardous to the aquatic environment – Acute Hazard, Category 1Aquatic Chronic 1Hazardous to the aquatic environment – Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Applic 1Serious eye damage/eye irritaton, Category 2Fiam. Liq. 3Fiammable liquids, Category 3H226Fiammable liquids, Category 3H226Harmful i swallowed.H301Toxic in swallowed and enters ainways.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Toxic in contact with skin.H315Causes senious eye initation.H331Toxic if inhaled.H332Lause senious eye initation.H331Toxic in contact with skin.H331Toxic in contact with skin.H332Harmful in contact with skin.H334Toxic in finhaled.H334Very toxic to aquatic life.H400Very tox	Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Dermal)Acute toxicity (dermal). Category 4Acute Tox. 4 (Inhalaton)Acute toxicity (Inhal.). Category 4Acute Tox. 4 (Oral)Acute toxicity (oral). Category 4Acute Tox. 4 (Oral)Hazardous to the aquatic environment – Acute Hazard, Category 1Aquatic Acute 1Hazardous to the aquatic environment – Acute Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Aquatic Chronic 3Flammable liquids, Category 1Eyp Int. 2Serious eye damage/eye irritation, Category 2Flam. Liq. 3Flammable liquids, Category 3H226Flammable liquids, Category 3H310Toxic if swallowed.H321Kayalowed.H322Harmful if swallowed.H311Toxic in contact with skin.H312Causes skin irritation.H313Causes and ligit is swallowed and enters airways.H314Toxic in contact with skin.H315Causes skin irritation.H316Causes and allergic skin reaction.H317May cause an allergic skin reaction.H318Cause and allergic skin reaction.H319Toxic if inhaled.H320Harmful if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H433Suspected damaging fertility of the unborn child.H440Vey toxic to aquatic life		Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (inhalation)Acute toxicity (inhal.), Category 4Acute Tox. 4 (Oral)Acute toxicity (oral), Category 4Aquatic Acute 1Hazardous to the aquatic environment – Acute Hazard, Category 1Aquatic Chronic 1Hazardous to the aquatic environment – Chronic Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Asp. Tox. 1Aspiration hazard, Category 1Eye Irit. 2Serious eye damage/eye initiation, Category 2Flam. Liq. 3Flammable liquida, Category 3H226Flammable liquida, Category 3H230Toxic if svalloved.H301Toxic if svalloved.H302Harmful if svalloved.H311Toxic in contact with skin.H312Harmful in contact with skin.H313Causes serious eye irritation.H314Toxic in contact with skin.H315Causes serious eye irritation.H316Suspected of damaging fertility or the unborn child.H317May cause an allergic skin reaction.H318Suspected of damaging fertility or the unborn child.H310Vey toxic to aquatic life.H411Vey toxic to aquatic life.H412Harmful in caquatic life with long lasting effects.H412Armful to aquatic life with long lasting effects.H412Armful to aquatic life with long lasting effects.H412Kin corrosion/irritation, Category 2Shin Irrit. 2Sin sensilisation, Categor	Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)Acute toxicily (oral), Category 4Aquatic Acute 1Hazardous to the aquatic environment – Acute Hazard, Category 1Aquatic Chronic 1Hazardous to the aquatic environment – Chronic Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3App. Tox. 1Aspiration hazard, Category 1Eye Irtt. 2Serious eye damage/eye iritation, Category 2Flam. Liq. 3Flammable liquid, Category 3H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed and enters ainways.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Toxic in contact with skin.H315Causes skin iritation.H316Causes serious eye iritation.H317May cause an allergic skin reaction.H318Toxic if inhaled.H322Harmful if inhaled.H332Harmful if inhaled.H334Vey toxic to aquatic life.H410Vey toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Kin corrosion/irritation, Category 2Skin Sens. 1Skin sensitis	Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Acute 1Hazardous to the aquatic environment – Acute Hazard, Category 1Aquatic Chronic 1Hazardous to the aquatic environment – Chronic Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Asp. Tox. 1Aspiration hazard, Category 1Eye Irit. 2Serious eye damage/eye irritation, Category 2Flam. Liq. 3Flammable liquids, Category 3H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Toxic in contact with skin.H315Causes skin irritation.H316Causes serious eye irritation.H332Harmful if Inhaled.H332Harmful if Inhaled.H334Toxici fi Inhaled.H335Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Skin corrosion/irritation, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Chronic 1Hazardous to the aquatic environment - Chronic Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment - Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment - Chronic Hazard, Category 3Asp. Tox. 1Aspiration hazard, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Flam. Liq. 3Flammable liquids, Category 3H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H313Causes skin irritation.H314Toxic in contact with skin.H315Causes skin irritation.H316Suspected of damaging fertility or the unborn child.H317May cause an allergic skin reaction.H338Toxic if inhaled.H331Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Skin corrosion/irritation, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensilisation, Category 1	Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2Hazardous to the aquatic environment - Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment - Chronic Hazard, Category 3Asp. Tox. 1Aspiration hazard, Category 1Eye Irit. 2Serious eye damage/eye irritation, Category 2Fiam. Liq. 3Fiammable liquids, Category 3H226Fiammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H311Toxic in contact with skin.H312Causes skin irritation.H314Causes skin irritation.H315Causes skin irritation.H319Causes serious eye irritation.H319Causes serious eye irritation.H311Toxic i finhaled.H312Harmful i finhaled.H314Suspected of damaging fertility or the unborn child.H315Suspected of damaging fertility or the unborn child.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Skin corrosion/irritation, Category 2Skin Irrit. 2Skin sensiti, Category 1	Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Asp. Tox. 1Aspiration hazard, Category 1Eye Irnt. 2Serious eye damage/eye irritation, Category 2Flam. Liq. 3Flammable liquids, Category 3H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H314Toxic in contact with skin.H315Causes skin irritation.H316Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye irritation.H319Causes serious eye irritation.H310Toxic if inhaled.H321Harmful in contact life.H332Harmful in inhaled.H334Very toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Skin corrosion/irritation, Category 2Skin Irrit. 2Skin sensitiaation, Category 2	Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Asp. Tox. 1Aspiration hazard. Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Flam. Liq. 3Flammable liquids, Category 3H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H315Causes serious eye irritation.H319Causes serious eye irritation.H319Causes serious eye irritation.H331Toxic ir inhaled.H332Harmful in inhaled.H334Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Skin corrosion/irritation, Category 2Skin Irrit. 2Skin sensitisation, Category 1	Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Irrit. 2Serious eye damage/eye irritation, Category 2Fiam. Liq. 3Flammable liquids, Category 3H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H3131Causes skin irritation.H314Causes skin irritation.H315Causes serious eye irritation.H316Toxic if inhaled.H332Harmful in inhaled.H334Very toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Skin corrosion/irritation, Category 2Skin Irrit. 2Skin sensillation, Category 1	Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Flam. Liq. 3Flammable liquids, Category 3H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H331Toxic in inhaled.H332Harmful if inhaled.H334Suspected of damaging fertility or the unborn child.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Reproductive toxicity, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 1Skin Sens. 1Skin sensitisation, Category 1	Asp. Tox. 1	Aspiration hazard, Category 1
H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye irritation.H331Toxic if inhaled.H332Harmful if inhaled.H334Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Reproductive toxicity, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 1	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301Toxic if swallowed.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H314Toxic in contact with skin.H312Harmful in contact with skin.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H311Toxic if inhaled.H332Toxic if inhaled.H332Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Repr. 2Reproductive toxicity, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 1	Flam. Liq. 3	Flammable liquids, Category 3
Harmful if swallowed.H302Harmful if swallowed and enters airways.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H313Toxic if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H361Suspected of damaging fertility or the unborn child.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Repr. 2Reproductive toxicity, Category 2Skin Irrit. 2Skin sensitisation, Category 1	H226	Flammable liquid and vapour.
H304May be fatal if swallowed and enters airways.H310Toxic in contact with skin.H312Harmful in contact with skin.H314Causes skin irritation.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H331Toxic if inhaled.H332Harmful if inhaled.H361Suspected of damaging fertility or the unborn child.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Repr. 2Reproductive toxicity, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 1	H301	Toxic if swallowed.
H311Toxic in contact with skin.H312Harmful in contact with skin.H312Gauses skin irritation.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H319Causes serious eye irritation.H331Toxic if inhaled.H332Harmful if inhaled.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Reproductive toxicity, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 1	H302	Harmful if swallowed.
H312Harmful in contact with skin.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H319Causes serious eye irritation.H331Toxic if inhaled.H332Harmful if inhaled.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Repr. 2Reproductive toxicity, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 1	H304	May be fatal if swallowed and enters airways.
H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H331Toxic if inhaled.H332Harmful if inhaled.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Reproductive toxicity, Category 2Skin lorris.2Skin sensitisation, Category 1	H311	Toxic in contact with skin.
H317May cause an allergic skin reaction.H319Causes serious eye irritation.H331Toxic if inhaled.H332Harmful if inhaled.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Repr. 2Skin corrosion/irritation, Category 2Skin Sens. 1Kin sensitisation, Category 1	H312	Harmful in contact with skin.
H319Causes serious eye irritation.H331Toxic if inhaled.H332Harmful if inhaled.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Repr. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H315	Causes skin irritation.
H331Toxic if inhaled.H332Harmful if inhaled.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Repr. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.
H332Harmful if inhaled.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Repr. 2Reproductive toxicity, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 1	H319	Causes serious eye irritation.
H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Repr. 2Reproductive toxicity, Category 2Skin Irrit. 2Skin sensitisation, Category 1	H331	Toxic if inhaled.
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Repr. 2Reproductive toxicity, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H332	Harmful if inhaled.
H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Repr. 2Reproductive toxicity, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H361	Suspected of damaging fertility or the unborn child.
H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Repr. 2Reproductive toxicity, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H400	Very toxic to aquatic life.
H412Harmful to aquatic life with long lasting effects.Repr. 2Reproductive toxicity, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H410	Very toxic to aquatic life with long lasting effects.
Repr. 2     Reproductive toxicity, Category 2       Skin Irrit. 2     Skin corrosion/irritation, Category 2       Skin Sens. 1     Skin sensitisation, Category 1	H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2     Skin corrosion/irritation, Category 2       Skin Sens. 1     Skin sensitisation, Category 1	H412	Harmful to aquatic life with long lasting effects.
Skin Sens. 1     Skin sensitisation, Category 1	Repr. 2	Reproductive toxicity, Category 2
	Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B Skin sensitisation, category 1B	Skin Sens. 1	Skin sensitisation, Category 1
	Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.