

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 2/28/2019 Revision date: 3/21/2023 Supersedes version of: 8/1/2019 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Opium #EU27915F UFI : PN9G-Y2E0-P005-8JVV

Product code : EU27915F

Type of product : Perfumes, fragrances Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH GmbH

Mittlerer Weg 35 DE- 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com - www.frenchcolor.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 H350 Carcinogenicity, Category 1B Hazardous to the aquatic environment - Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause cancer. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07





GHS08

GHS09

Signal word (CLP) : Danger

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Lemon oil , Linalool, Linalyl acetate, Lavandin abrialis oil, Cedramber, Nutmeg Oil, Anise oil

(Spanish), Cedarwood, Atlas, Vetiver oil, Trimofix O, Rosemary Oil, Hexyl salicylate,

Estragole (Methyl chavicol), Tangerine oil, Sage oil, spanish

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H350 - May cause cancer.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------------|---|------------|---|
| Patchouli oil | CAS-No.: 8014-09-3 EC Index-No.: 616-944-7 | 0.9 – 1.75 | Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Lemon oil | CAS-No.: 8008-56-8 EC-No.: 284-515-8;616-925-3 | 0.8 – 1.65 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411 |
| Linalool | CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- | 0.8 – 1.5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| Linalyl acetate | CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19 | 0.7 – 1.45 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |
| Hexamethylindanopyran | CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- | 0.7 – 1.4 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Sandela | CAS-No.: 66068-84-6 EC-No.: 266-100-3 | 0.6 – 1.2 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |

Safety Data Sheet

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|----------------------|--|
| Lavandin oil | CAS-No.: 8022-15-9 EC-No.: 617-009-6 | 0.4 – 0.8 | Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412 |
| Cedramber | CAS-No.: 19870-74-7 EC-No.: 243-384-7 | 0.3 – 0.65 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317 |
| Nutmeg Oil | CAS-No.: 8008-45-5 EC-No.: 282-013-3;616-921-1 | 0.2 – 0.4 | Flam. Liq. 3, H226 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH) | CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42 | 0.21699 – 0.36165 | Not classified |
| Anise oil (Spanish) | CAS-No.: 8007-70-3 EC-No.: 616-914-3 | 0.2 – 0.3 | Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 3, H412 |
| Cedrus Atlantica Oil | CAS-No.: 8023-85-6 EC-No.: 295-985-9 | 0.2 – 0.3 | Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Vetiveria zizanoides root oil | CAS-No.: 8016-96-4 EC-No.: 616-993-4 REACH-no: 01-2120119716- 55 | 0.1 – 0.2 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| Trimofix O | CAS-No.: 144020-22-4 EC-No.: 482-330-9 | 0.1 – 0.15 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317 |
| Rosemary Oil | CAS-No.: 8000-25-7 EC-No.: 283-291-9 | 0.1 – 0.15 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Hexyl salicylate | CAS-No.: 6259-76-3 EC-No.: 228-408-6 | 0.1 – 0.1488 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Estragole (Methyl chavicol) | CAS-No.: 140-67-0 EC-No.: 205-427-8 REACH-no: 01-2120783278- 41 | 0.1 – 0.1 | Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Muta. 2, H341 Carc. 2, H351 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-----------|--|
| Tangerine oil | CAS-No.: 8016-85-1 EC-No.: 297-672-2 | 0.1 – 0.1 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Sage oil, spanish | CAS-No.: 90106-49-3 EC-No.: 290-272-9 | 0.1 – 0.1 | Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| .betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO) | CAS-No.: 127-91-3 EC-No.: 204-872-5 | ≤ 0.015 | Flam. Liq. 3, H226 |
| Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit | CAS-No.: 34590-94-8 EC-No.: 252-104-2 | ≤ 0.0124 | Not classified |
| .alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO) | CAS-No.: 80-56-8 EC-No.: 201-291-9 | ≤ 0.001 | Flam. Liq. 3, H226 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal

7.3. Specific end use(s)

No additional information available

3/21/2023 (Revision date) EN (English) 5/22

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| o. 1.1 National occupational exposure and biological limit values | | |
|---|---|--|
| Carbitol (111-90-0) | | |
| Austria - Occupational Exposure Limits | | |
| MAK (OEL TWA) | 35 mg/m³ | |
| MAK (OEL TWA) [ppm] | 6 ppm | |
| MAK (OEL STEL) | 140 mg/m³ | |
| MAK (OEL STEL) [ppm] | 24 ppm | |
| Estonia - Occupational Exposure Limits | | |
| OEL TWA | 50.1 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL chemical category | Skin notation | |
| Germany - Occupational Exposure Limits (TRGS 90 | 0) | |
| AGW (OEL TWA) [1] | 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| AGW (OEL TWA) [2] | 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| Slovenia - Occupational Exposure Limits | | |
| OEL TWA | 35 mg/m³ | |
| OEL TWA [ppm] | 6 ppm | |
| OEL STEL | 70 mg/m³ | |
| OEL STEL [ppm] | 12 ppm | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) | 80 mg/m³ | |
| NGV (OEL TWA) [ppm] | 15 ppm | |
| KTV (OEL STEL) | 170 mg/m³ | |
| KTV (OEL STEL) [ppm] | 30 ppm | |
| OEL chemical category | Skin notation | |
| Switzerland - Occupational Exposure Limits | | |
| MAK (OEL TWA) [1] | 50 mg/m³ (aerosol, inhalable dust, vapour) | |
| KZGW (OEL STEL) | 100 mg/m³ (aerosol, inhalable dust, vapour) | |
| .betaPinene (127-91-3) | | |
| Belgium - Occupational Exposure Limits | | |
| OEL TWA [ppm] | 20 ppm | |
| Estonia - Occupational Exposure Limits | | |
| OEL TWA | 150 mg/m³ | |
| OEL TWA [ppm] | 25 ppm | |
| OEL STEL | 300 mg/m³ | |
| OEL STEL [ppm] | 50 ppm | |
| | 1 | |

Safety Data Sheet

| .betaPinene (127-91-3) | | |
|--|---|--|
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 150 mg/m³ | |
| IPRV (OEL TWA) [ppm] | 25 ppm | |
| TPRV (OEL STEL) | 300 mg/m³ | |
| TPRV (OEL STEL) [ppm] | 50 ppm | |
| Portugal - Occupational Exposure Limits | | |
| OEL TWA [ppm] | 20 ppm (Turpentine and selected Monoterpenes) | |
| OEL chemical category | Sensitizer, A4 - Not Classifiable as a Human Carcinogen | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) [1] | 113 mg/m³ | |
| VLA-ED (OEL TWA) [2] | 20 ppm | |
| OEL chemical category | Sensitizer | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) | 150 mg/m³ | |
| NGV (OEL TWA) [ppm] | 25 ppm | |
| KTV (OEL STEL) | 300 mg/m³ | |
| KTV (OEL STEL) [ppm] | 50 ppm | |
| OEL chemical category | Sensitizer | |
| Norway - Occupational Exposure Limits | | |
| Grenseverdi (OEL TWA) [1] | 140 mg/m³ | |
| Grenseverdi (OEL TWA) [2] | 25 ppm | |
| Korttidsverdi (OEL STEL) | 175 mg/m³ (value calculated) | |
| Korttidsverdi (OEL STEL) [ppm] | 37.5 ppm (value calculated) | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH OEL TWA [ppm] | 20 ppm (Turpentine and selected monoterpenes) | |
| ACGIH chemical category | Not Classifiable as a Human Carcinogen, dermal sensitizer | |
| .alphaPinene (80-56-8) | | |
| Belgium - Occupational Exposure Limits | | |
| OEL TWA [ppm] | 20 ppm | |
| Estonia - Occupational Exposure Limits | | |
| OEL TWA | 150 mg/m³ | |
| OEL TWA [ppm] | 25 ppm | |
| OEL STEL | 300 mg/m³ | |
| OEL STEL [ppm] | 50 ppm | |
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 150 mg/m³ | |
| IPRV (OEL TWA) [ppm] | 25 ppm | |
| TPRV (OEL STEL) | 300 mg/m³ | |
| TPRV (OEL STEL) [ppm] | 50 ppm | |

Safety Data Sheet

| .alphaPinene (80-56-8) | | |
|--|---|--|
| Portugal - Occupational Exposure Limits | | |
| OEL TWA [ppm] | 20 ppm (Turpentine and selected Monoterpenes) | |
| OEL chemical category | Sensitizer, A4 - Not Classifiable as a Human Carcinogen | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) [1] | 113 mg/m³ | |
| VLA-ED (OEL TWA) [2] | 20 ppm | |
| OEL chemical category | Sensitizer | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) | 150 mg/m³ | |
| NGV (OEL TWA) [ppm] | 25 ppm | |
| KTV (OEL STEL) | 300 mg/m³ | |
| KTV (OEL STEL) [ppm] | 50 ppm | |
| OEL chemical category | Sensitizer | |
| Norway - Occupational Exposure Limits | | |
| Grenseverdi (OEL TWA) [1] | 140 mg/m³ | |
| Grenseverdi (OEL TWA) [2] | 25 ppm | |
| Korttidsverdi (OEL STEL) | 175 mg/m³ (value calculated) | |
| Korttidsverdi (OEL STEL) [ppm] | 37.5 ppm (value calculated) | |
| OEL chemical category | Skin notation | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH OEL TWA [ppm] | 20 ppm (Turpentine and selected monoterpenes) | |
| ACGIH chemical category | Not Classifiable as a Human Carcinogen, dermal sensitizer | |
| Dipropylene glycol monomethyl ether (34590- | 94-8) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA | 308 mg/m³ | |
| IOEL TWA [ppm] | 50 ppm | |
| Remark | Possibility of significant uptake through the skin | |
| Austria - Occupational Exposure Limits | | |
| MAK (OEL TWA) | 307 mg/m³ (mixed isomers) | |
| MAK (OEL TWA) [ppm] | 50 ppm (mixed isomers) | |
| MAK (OEL STEL) | 614 mg/m³ (isomers mixtures) | |
| MAK (OEL STEL) [ppm] | 100 ppm (isomers mixtures) | |
| OEL chemical category | Skin notation | |
| Belgium - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL chemical category | Skin, Skin notation | |
| Bulgaria - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |

Safety Data Sheet

| Dipropylene glycol monomethyl ether (34590-94-8) | | |
|--|---|--|
| OEL TWA [ppm] | 50 ppm | |
| Croatia - Occupational Exposure Limits | | |
| GVI (OEL TWA) [1] | 308 mg/m³ | |
| GVI (OEL TWA) [2] | 50 ppm | |
| OEL chemical category | Skin notation | |
| Cyprus - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL chemical category | Skin-potential for cutaneous absorption | |
| Czech Republic - Occupational Exposure Limits | | |
| PEL (OEL TWA) | 270 mg/m³ | |
| OEL chemical category | Potential for cutaneous absorption | |
| Denmark - Occupational Exposure Limits | | |
| OEL TWA [1] | 309 mg/m³ | |
| OEL TWA [2] | 50 ppm | |
| OEL chemical category | Potential for cutaneous absorption | |
| Estonia - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL chemical category | Skin notation | |
| Finland - Occupational Exposure Limits | | |
| HTP (OEL TWA) [1] | 310 mg/m³ | |
| HTP (OEL TWA) [2] | 50 ppm | |
| OEL chemical category | Potential for cutaneous absorption | |
| France - Occupational Exposure Limits | | |
| VME (OEL TWA) | 308 mg/m³ (restrictive limit) | |
| VME (OEL TWA) [ppm] | 50 ppm (restrictive limit) | |
| OEL chemical category | Risk of cutaneous absorption | |
| Germany - Occupational Exposure Limits (TRGS 90 | 0) | |
| AGW (OEL TWA) [1] | 310 mg/m³ (isomer mixture) | |
| AGW (OEL TWA) [2] | 50 ppm (isomer mixture) | |
| Gibraltar - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL chemical category | Skin notation | |
| Greece - Occupational Exposure Limits | | |
| OEL TWA | 600 mg/m³ | |
| OEL TWA [ppm] | 100 ppm | |
| OEL STEL | 900 mg/m³ | |

Safety Data Sheet

| Dipropylene glycol monomethyl ether (34590-94-8) | | |
|--|--|--|
| OEL STEL [ppm] | 150 ppm | |
| OEL chemical category | skin - potential for cutaneous absorption | |
| Hungary - Occupational Exposure Limits | | |
| AK (OEL TWA) | 308 mg/m³ | |
| Ireland - Occupational Exposure Limits | | |
| OEL TWA [1] | 308 mg/m³ ((2-Methoxymethylethoxy)propanol) | |
| OEL TWA [2] | 50 ppm ((2-Methoxymethylethoxy)propanol) | |
| OEL STEL | 924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol) | |
| OEL STEL [ppm] | 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol) | |
| OEL chemical category | Potential for cutaneous absorption | |
| Italy - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL chemical category | skin - potential for cutaneous absorption | |
| Latvia - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL chemical category | skin - potential for cutaneous exposure | |
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 300 mg/m³ (2-(2-Methoxypropoxy)-propanol) | |
| IPRV (OEL TWA) [ppm] | 50 ppm (2-(2-Methoxypropoxy)-propanol) | |
| TPRV (OEL STEL) | 450 mg/m³ (2-(2-Methoxypropoxy)-propanol) | |
| TPRV (OEL STEL) [ppm] | 75 ppm (2-(2-Methoxypropoxy)-propanol) | |
| OEL chemical category | Skin notation | |
| Luxembourg - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL chemical category | Possibility of significant uptake through the skin | |
| Malta - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL chemical category | Possibility of significant uptake through the skin | |
| Netherlands - Occupational Exposure Limits | | |
| TGG-8u (OEL TWA) | 300 mg/m³ | |
| Poland - Occupational Exposure Limits | | |
| NDS (OEL TWA) | 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol) | |
| NDSCh (OEL STEL) | 480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-1-ol) | |

Safety Data Sheet

| Dipropylene glycol monomethyl ether (34590-94-8) | | |
|--|--|--|
| Portugal - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ (indicative limit value) | |
| OEL TWA [ppm] | 50 ppm (indicative limit value) | |
| OEL STEL [ppm] | 150 ppm | |
| OEL chemical category | skin - potential for cutaneous exposure indicative limit value | |
| Romania - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL chemical category | Skin notation | |
| Slovakia - Occupational Exposure Limits | | |
| NPHV (OEL TWA) [1] | 308 mg/m³ | |
| NPHV (OEL TWA) [2] | 50 ppm | |
| OEL chemical category | Potential for cutaneous absorption | |
| Slovenia - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL STEL | 308 mg/m³ | |
| OEL STEL [ppm] | 50 ppm | |
| OEL chemical category | Potential for cutaneous absorption | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) [1] | 308 mg/m³ (indicative limit value) | |
| VLA-ED (OEL TWA) [2] | 50 ppm (indicative limit value) | |
| OEL chemical category | skin - potential for cutaneous absorption | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) | 300 mg/m³ | |
| NGV (OEL TWA) [ppm] | 50 ppm | |
| KTV (OEL STEL) | 450 mg/m³ | |
| KTV (OEL STEL) [ppm] | 75 ppm | |
| OEL chemical category | Skin notation | |
| United Kingdom - Occupational Exposure Limits | | |
| WEL TWA (OEL TWA) [1] | 308 mg/m³ | |
| WEL TWA (OEL TWA) [2] | 50 ppm | |
| WEL STEL (OEL STEL) | 924 mg/m³ (calculated) | |
| WEL STEL (OEL STEL) [ppm] | 150 ppm (calculated) | |
| WEL chemical category | Potential for cutaneous absorption | |
| Norway - Occupational Exposure Limits | | |
| Grenseverdi (OEL TWA) [1] | 300 mg/m³ | |
| Grenseverdi (OEL TWA) [2] | 50 ppm | |
| Korttidsverdi (OEL STEL) | 375 mg/m³ (value calculated) | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Dipropylene glycol monomethyl ether (34590-94-8) | | |
|--|--|--|
| Korttidsverdi (OEL STEL) [ppm] | 75 ppm (value calculated) | |
| OEL chemical category | Skin notation | |
| Switzerland - Occupational Exposure Limits | | |
| MAK (OEL TWA) [1] | 300 mg/m³ (aerosol, vapour) | |
| MAK (OEL TWA) [2] | 50 ppm (aerosol, vapour) | |
| KZGW (OEL STEL) | 300 mg/m³ (aerosol, vapour) | |
| KZGW (OEL STEL) [ppm] | 50 ppm (aerosol, vapour) | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH OEL TWA [ppm] | 100 ppm | |
| ACGIH OEL STEL [ppm] | 150 ppm | |
| ACGIH chemical category | Skin - potential significant contribution to overall exposure by the cutaneous route | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.

Odour : characteristic. characteristic.

Odour threshold Not available : Not applicable Melting point Freezing point Not available Boiling point : Not available Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : 90.9 °C (closed cup) ASTM D7094

Auto-ignition temperature : Not available Not available Decomposition temperature рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : ≈ 0.93 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| , | Not classified Not classified | |
|---|-----------------------------------|--|
| Patchouli oil (8014-09-3) | | |
| LD50 oral rat | > 5 g/kg | |
| Lemon oil (8008-56-8) | | |
| LD50 oral rat | 2840 mg/kg | |
| Linalool (78-70-6) | | |
| LD50 oral | 2790 mg/kg bodyweight | |
| Linalyl acetate (115-95-7) | | |
| LD50 oral rat | 14550 mg/kg | |
| LD50 dermal rabbit | > 5000 mg/kg | |
| Hexamethylindanopyran (1222-05-5) | | |
| LD50 oral rat | > 3250 mg/kg | |
| LD50 dermal rabbit | > 3250 mg/kg | |
| Sandela (66068-84-6) | | |
| LD50 dermal rat | > 2000 mg/kg | |
| LC50 Inhalation - Rat | > 5.27 mg/l/4h | |
| Lavandin oil (8022-15-9) | | |
| LD50 oral rat | > 5 g/kg | |
| Carbitol (111-90-0) | | |
| LD50 oral rat | 10502 mg/kg | |
| LD50 dermal rabbit | 9143 mg/kg | |
| LC50 Inhalation - Rat | > 5240 mg/m³ (Exposure time: 4 h) | |
| Nutmeg Oil (8008-45-5) | | |
| LD50 oral rat | 2620 mg/kg | |
| LD50 dermal rabbit | > 10 g/kg | |
| Anise oil (Spanish) (8007-70-3) | | |
| LD50 oral rat | 2250 mg/kg | |
| LD50 oral | 2200 mg/kg bodyweight | |
| Vetiveria zizanoides root oil (8016-96-4) | | |
| LD50 oral rat | > 5 g/kg | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Trimofix O (144020-22-4) | |
|---|--|
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |
| Rosemary Oil (8000-25-7) | |
| LD50 oral rat | 5 g/kg |
| Hexyl salicylate (6259-76-3) | |
| LD50 oral rat | > 5 g/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| Estragole (Methyl chavicol) (140-67-0) | |
| LD50 oral rat | 1230 mg/kg |
| LD50 oral | 1230 mg/kg bodyweight |
| LD50 dermal rabbit | |
| | > 5000 mg/kg |
| .betaPinene (127-91-3) | |
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| .alphaPinene (80-56-8) | |
| LD50 oral rat | 3700 mg/kg |
| LD50 oral | 500 mg/kg bodyweight |
| LD50 dermal rat | > 5000 mg/kg |
| Dipropylene glycol monomethyl ether (3459 | 0-94-8) |
| LD50 oral rat | 5.35 g/kg |
| LD50 dermal rabbit | 9500 mg/kg |
| Sage oil, spanish (90106-49-3) | |
| LC50 Inhalation - Rat (Dust/Mist) | 4.7 mg/l/4h |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : May cause cancer. |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| Rosemary Oil (8000-25-7) | |
| STOT-single exposure | May cause damage to organs. |
| Sage oil, spanish (90106-49-3) | |
| STOT-single exposure | May cause damage to organs. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| | |

11.2. Information on other hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

| | | ixc | |
|--|--|-----|--|
| | | | |
| | | | |

Ecology - general : Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

| (CITOTIC) | | | |
|--|--|--|--|
| Linalool (78-70-6) | | | |
| EC50 96h - Algae [1] | 88.3 mg/l (Species: Desmodesmus subspicatus) | | |
| Linalyl acetate (115-95-7) | | | |
| LC50 - Fish [1] | 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through]) | | |
| Hexamethylindanopyran (1222-05-5) | | | |
| LC50 - Fish [1] | 0.452 mg/l Wolf, 1996d-27682 | | |
| LC50 - Other aquatic organisms [1] | > 0.14 mg/l REACH DOSSIER Pimephales promelas | | |
| EC50 - Crustacea [2] | 260 μg/l REACH Dossier | | |
| EC50 - Other aquatic organisms [1] | 0.131 mg/l REACH Dossier | | |
| Carbitol (111-90-0) | | | |
| LC50 - Fish [1] | 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) | | |
| LC50 - Fish [2] | 19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) | | |
| EC50 - Crustacea [1] | 3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna) | | |
| Trimofix O (144020-22-4) | | | |
| LC50 - Fish [1] | 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) | | |
| .alphaPinene (80-56-8) | | | |
| LC50 - Fish [1] | 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) | | |
| EC50 - Crustacea [1] | 41 mg/l (Exposure time: 48 h - Species: Daphnia magna) | | |
| Dipropylene glycol monomethyl ether (34590-94-8) | | | |
| LC50 - Fish [1] | > 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) | | |
| EC50 - Crustacea [1] | 1919 mg/l (Exposure time: 48 h - Species: Daphnia magna) | | |
| | | | |

12.2. Persistence and degradability

| Estragole (Methyl chavicol) (140-67-0) | |
|--|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| Linalyl acetate (115-95-7) | | |
|---|---------------------------------------|--|
| Partition coefficient n-octanol/water (Log Pow) | 3.9 (at 25 °C) | |
| Hexamethylindanopyran (1222-05-5) | | |
| BCF - Fish [1] | (1618 dimensionless (whole body w.w.) | |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 (at 25 °C (at pH 7) | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Carbitol (111-90-0) | | |
|--|---------------------------------------|--|
| Partition coefficient n-octanol/water (Log Pow) | -0.8 | |
| Trimofix O (144020-22-4) | | |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 – 5.8 (at 25 °C (at pH >=7-<=7.3) | |
| Hexyl salicylate (6259-76-3) | | |
| Partition coefficient n-octanol/water (Log Pow) | 5.5 (at 30 °C (at pH 7) | |
| Estragole (Methyl chavicol) (140-67-0) | | |
| Partition coefficient n-octanol/water (Log Pow) | 3.4 (at 35 °C (at pH 7) | |
| Bioaccumulative potential | Not established. | |
| .alphaPinene (80-56-8) | | |
| Partition coefficient n-octanol/water (Log Pow) | 4.1 | |
| Dipropylene glycol monomethyl ether (34590-94-8) | | |
| Partition coefficient n-octanol/water (Log Pow) | 0.35 (at 25 °C (at pH 7) | |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP7 "Carcinogenic:" waste which induces cancer or increases its incidence
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|--|---|---|---|---|
| 14.1. UN number or ID number | | | | |
| UN 3082 | UN 3082 | UN 3082 | UN 3082 | UN 3082 |
| 14.2. UN proper shippin | g name | | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran) | Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran) |
| Transport document descr | iption | | | |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, (-) | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, MARINE POLLUTANT | UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III |
| 14.3. Transport hazard o | class(es) | | | |
| 9 | 9 | 9 | 9 | 9 |
| | | | | |
| 14.4. Packing group | | | | |
| III | III | III | III | III |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment: Yes | Dangerous for the environment: Yes Marine pollutant: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes |
| No supplementary information | n available | 1 | ı | 1 |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5l Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates : 90

3082

Tunnel restriction code (ADR) : -

EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (F | EU restriction list (REACH Annex XVII) | | |
|------------------------|---|--|--|
| Reference code | Applicable on | Entry title or description | |
| 3(a) | Lemon oil; Nutmeg Oil; Rosemary Oil; .beta Pinene; .alphaPinene; Tangerine oil; Sage oil, spanish | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F | |
| 3(b) | Opium #EU27915F; Patchouli oil; Lemon oil; Linalool; Linalyl acetate; Sandela; Lavandin oil; Cedramber; Nutmeg Oil; Anise oil (Spanish); Cedrus Atlantica Oil; Vetiveria zizanoides root oil; Trimofix O; Rosemary Oil; Hexyl salicylate; Estragole (Methyl chavicol); Tangerine oil; Sage oil, spanish | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 | |
| 3(c) | Opium #EU27915F; Patchouli oil; Lemon oil; Hexamethylindanopyran; Sandela; Lavandin oil; Cedramber; Nutmeg Oil; Anise oil (Spanish); Cedrus Atlantica Oil; Vetiveria zizanoides root oil; Trimofix O; Rosemary Oil; Hexyl salicylate; Tangerine oil; Sage oil, spanish | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 | |
| 40. | Lemon oil; Nutmeg Oil; Rosemary Oil; .beta Pinene; .alphaPinene; Tangerine oil; Sage oil, spanish | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. | |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must

> be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Lemon oil ,Sandela,Cedarwood, Atlas,Rosemary Oil,Tangerine oil are listed

SZW-lijst van mutagene stoffen : Lemon oil ,Sandela,Cedarwood, Atlas,Rosemary Oil are listed

SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit 50 liter

Classification remarks Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

The requirements from the Danish Working Environment Authorities regarding work with

carcinogens must be followed during use and disposal

Switzerland

: LK 6.1 - Toxic materials Storage class (LK)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Full text of H- and EUH-statements: | | |
|-------------------------------------|---|--|
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 | |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 | |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 | |
| Asp. Tox. 1 | Aspiration hazard, Category 1 | |
| Carc. 1B | Carcinogenicity, Category 1B | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EU | H-statements: |
|------------------------|--|
| Carc. 2 | Carcinogenicity, Category 2 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H341 | Suspected of causing genetic defects. |
| H350 | May cause cancer. |
| H351 | Suspected of causing cancer. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H371 | May cause damage to organs. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Muta. 2 | Germ cell mutagenicity, Category 2 |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT SE 2 | Specific target organ toxicity – Single exposure, Category 2 |

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.