

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/7/2023 Revision date: 11/7/2023 Supersedes version of: 11/30/2020 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form	: Mixture
Trade name	: CHRISTMAS MULBERRY #EU17711F
UFI	: SK1K-C1C8-A00D-F4RJ
Product code	: EU17711F
Type of product	: Perfumes, fragrances
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	:	Industrial use,Professional use
Industrial/Professional use spec	:	For professional use only
		Industrial
Use of the substance/mixture	:	Perfumes, fragrances
Function or use category	:	Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH Mittlerer Weg 35 DE– 79424 Auggen Germany T 49-7631-931-8900 SDS@frenchcolor.com - www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Very toxic to aquatic life with long lasting effects. Flammable liquid and vapour. Harmful if swallowed. Causes skin irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) :

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	GHS02 GHS07 GHS08 GHS09
Signal word (CLP)	: Danger
Contains	: Benzyl benzoate; Orange oil ; Benzaldehyde; Allyl cyclohexylpropionate; Orange Oil; Aldehyde C-16; Anisyl acetate; Ethyl maltol; Allyl caproate; Triplal (Vertocitral)
Hazard statements (CLP)	<ul> <li>H226 - Flammable liquid and vapour.</li> <li>H302 - Harmful if swallowed.</li> <li>H304 - May be fatal if swallowed and enters airways.</li> <li>H315 - Causes skin irritation.</li> <li>H317 - May cause an allergic skin reaction.</li> </ul>
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P233 - Keep container tightly closed.
	P240 - Ground and bond container and receiving equipment.
	P241 - Use explosion-proof electrical/ventilating/lighting equipment.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
Extra phrases	: For professional users only.
2.3. Other hazards	

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	12.6 – 25.1324	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	10 – 20	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Resin acids and Rosin acids, hydrogenated, methyl esters	CAS-No.: 8050-15-5 EC-No.: 232-476-2	4.8 – 9.55	Aquatic Chronic 3, H412
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	4.5 – 9	Acute Tox. 4 (Oral), H302

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2(3H)-Furanone, 5-heptyldihydro-	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	4.5 – 9	Aquatic Chronic 3, H412
Allyl cyclohexylpropionate	CAS-No.: 2705-87-5 EC-No.: 220-292-5	3.5 – 7	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Orange Oil	CAS-No.: 8028-48-6 EC-No.: 232-433-8	2.5 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	1.5 – 3	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
	CAS-No.: 104-21-2 EC-No.: 203-185-8	1.1 – 2.25	Skin Sens. 1, H317
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	1 – 2	Eye Irrit. 2, H319
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	0.6 – 1.25	Acute Tox. 4 (Oral), H302
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.5 – 1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.1 – 0.1025	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0086	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0021	Flam. Liq. 3, H226
Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 142-62-1 EC-No.: 205-550-7	0 – 0.0001	Eye Dam. 1, H318 Skin Corr. 1C, H314

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). If skin irritation or rash occurs: Get immediate medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a POISON CENTER/doctor if you feel unwell. Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

Cymptoliio, cheoto	. Not expected to present a significant nazara ander anticipated conditions of normal dec.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation. Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard. May be fatal
	if swallowed and enters airways. Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Sand. Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Flammable liquid and vapour.</li> <li>May form flammable/explosive vapour-air mixture.</li> <li>Toxic fumes may be released.</li> </ul>	
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting	<ul> <li>Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.</li> <li>Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipm	ent and emergency procedures	
General measures :	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures :	Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment :	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

: Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for contain	ment and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	<ul> <li>Handle empty containers with care because residual vapours are flammable.</li> <li>Ensure good ventilation of the work station. No open flames. No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.</li> </ul>
Hygiene measures	: Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	<ul> <li>Proper grounding procedures to avoid static electricity should be followed. Use explosion- proof electrical/ventilating/lighting equipment. Ground/bond container and receiving equipment.</li> </ul>
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Heat sources. Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container. : Do not store in corrodable metal.
Packaging materials	
7.3. Specific end use(s)	

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

# Safety Data Sheet

benzaldehyde (100-52-7)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Finland - Occupational Exposure Limits	·
HTP (OEL TWA) [1]	4.4 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	1 ppm
HTP (OEL C)	17.4 mg/m³
HTP (OEL C) [ppm]]	4 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	5 mg/m³
CK (OEL STEL)	10 mg/m <sup>3</sup>
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	10 mg/m³
NDSCh (OEL STEL)	40 mg/m <sup>3</sup>
Alcohol C-10 (112-30-1)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	10 mg/m <sup>3</sup>
Germany - Occupational Exposure Limits (TRGS 90	)0)
AGW (OEL TWA) [1]	$66~\text{mg/m}^{\text{s}}$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Latvia - Occupational Exposure Limits	
OEL TWA	10 mg/m <sup>3</sup>
Lithuania - Occupational Exposure Limits	·
IPRV (OEL TWA)	10 mg/m³
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m <sup>3</sup>
OEL TWA	15 ppm
OEL STEL	200 mg/m <sup>3</sup>
OEL STEL	30 ppm
Switzerland - Occupational Exposure Limits	·
MAK (OEL TWA) [1]	66 mg/m³ (aerosol, vapour)
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aldehyde C-6 (66-25-1)					
Finland - Occupational Exposure Limits					
HTP (OEL STEL)	EL STEL) 42 mg/m <sup>3</sup>				
HTP (OEL STEL) [ppm]	10 ppm				
Poland - Occupational Exposure Limits					
NDS (OEL TWA) 40 mg/m <sup>3</sup>					
DSCh (OEL STEL) 80 mg/m <sup>3</sup>					
Caproic acid (142-62-1)					
Bulgaria - Occupational Exposure Limits					
OEL TWA 5 mg/m <sup>3</sup>					
Latvia - Occupational Exposure Limits					
OEL TWA	5 mg/m³				
Lithuania - Occupational Exposure Limits					
IPRV (OEL TWA) 5 mg/m <sup>3</sup>					

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

**Skin and body protection:** Wear suitable protective clothing

Hand protection: Wear protective gloves.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

[In case of inadequate ventilation] wear respiratory protection. Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Flammable liquid and vapour,Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 57 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 20.5 mm²/s
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 0.97
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapour.

**10.2. Chemical stability** 

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Not established.

### 10.3. Possibility of hazardous reactions

#### Not established.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **10.4. Conditions to avoid**

Open flame. Overheating. Direct sunlight. Sparks. Extremely high or low temperatures. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

#### **SECTION 11: Toxicological information** 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity (oral) : Harmful if swallowed. Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified **CHRISTMAS MULBERRY #EU17711F** ATE CLP (oral) 1214.806 mg/kg bodyweight benzyl benzoate (120-51-4) 500 mg/kg (Source: NLM\_CIP) LD50 oral rat LD50 oral 1160 mg/kg bodyweight LD50 dermal rabbit 4000 mg/kg (Source: NLM\_CIP) Orange oil (8008-57-9) LD50 oral rat 4400 mg/kg (Source: NZ CCID) LD50 dermal rabbit > 5000 mg/kg (Source: CHEMVIEW) Resin acids and Rosin acids, hydrogenated, methyl esters (8050-15-5) LD50 oral rat > 2000 mg/kg (Source: CHEMVIEW) LD50 dermal rabbit > 10000 mg/kg (Source: ECHA\_API) benzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN GHS) LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN\_GHS) 2(3H)-Furanone, 5-heptyldihydro- (104-67-6) LD50 oral rat 18500 mg/kg (Source: NLM CIP) LD50 dermal rat > 2000 mg/kg (Source: ECHA\_API) Allyl cyclohexylpropionate (2705-87-5) LD50 oral rat 585 mg/kg (Source: NLM CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA API) LD50 dermal 1600 mg/kg bodyweight Orange Oil (8028-48-6) LD50 dermal rabbit > 5000 mg/kg (Source: ECHA API)

# Safety Data Sheet

Aldehyde C-16 (77-83-8)			
050 oral rat 5470 mg/kg (Source: NLM_CIP)			
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
(104-21-2)	·		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
Ethyl vanillin (121-32-4)	<u>.</u>		
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)		
LD50 oral	3000 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
Ethyl maltol (4940-11-8)			
LD50 oral rat	1150 mg/kg (Source: NLM_CIP)		
LD50 oral	1200 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)		
Allyl caproate (123-68-2)			
LD50 oral	300 mg/kg bodyweight		
LD50 dermal rabbit	820 mg/kg (Source: ECHA_API)		
LD50 dermal	300 mg/kg bodyweight		
LC50 Inhalation - Rat (Vapours)	3 mg/l/4h		
Triplal (Vertocitral) (68039-49-6)			
LD50 oral	3900 mg/kg bodyweight		
Alcohol C-10 (112-30-1)			
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)		
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)		
Aldehyde C-6 (66-25-1)			
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)		
Caproic acid (142-62-1)			
LD50 oral rat	3 g/kg (Source: NLM_HSDB)		
LD50 oral	4000 mg/kg bodyweight		
LD50 dermal rabbit	630 mg/kg (Source: NLM_HSDB)		
	Causes skin irritation.		
Additional information : Serious eye damage/irritation :	Causes skin irritation. Not classified		
Respiratory or skin sensitisation :	May cause an allergic skin reaction.		
	Not classified		
	May be fatal if swallowed and enters airways.		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CHRISTMAS MULBERRY #EU17711F			
Viscosity, kinematic	20.5 mm²/s		
benzyl benzoate (120-51-4)			
Viscosity, kinematic 7.456 mm²/s			
Orange oil (8008-57-9)			
Hydrocarbon	Yes		
11.2. Information on other hazards			

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and	: Harmful if swallowed, Based on available data, the classification criteria are not met
symptoms	

SECTION 12: Ecological information					
12.1. Toxicity					
	Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.				
(acute)	<ul><li>Not classified</li><li>Toxic to aquatic life with long lasting effects.</li></ul>				
benzyl benzoate (120-51-4)					
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)				
NOEC (chronic)	0.168 mg/l				
benzaldehyde (100-52-7)					
LC50 - Fish [1] 10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow Source: EPA)					
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)				
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)					
LC50 - Fish [1]	569 mg/l 96 h				
EC50 - Crustacea [1]	5.85 mg/l 48 h				
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h				
Allyl cyclohexylpropionate (2705-87-5)					
LC50 - Fish [1]	0.13 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: ECHA)				
Aldehyde C-16 (77-83-8)					
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)				
Ethyl vanillin (121-32-4)					
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)				

# Safety Data Sheet

hyl maltol (4940-11-8)				
50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)			
lyl caproate (123-68-2)				
50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
cohol C-10 (112-30-1)				
50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)			
C50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
dehyde C-6 (66-25-1)				
:50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
aproic acid (142-62-1)				
50 - Fish [1]	306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)			
.2. Persistence and degradability				
HRISTMAS MULBERRY #EU17711F				
rsistence and degradability	Not established.			
enzyl benzoate (120-51-4)				
rsistence and degradability	May cause long-term adverse effects in the environment.			
.3. Bioaccumulative potential				
HRISTMAS MULBERRY #EU17711F				
paccumulative potential	Not established.			
enzyl benzoate (120-51-4)				
rtition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)			
paccumulative potential	Not established.			
esin acids and Rosin acids, hydrogenated,	methyl esters (8050-15-5)			
rtition coefficient n-octanol/water (Log Pow)	6.4 – 7.6 (at pH 6)			
enzaldehyde (100-52-7)				
CF - Fish [1]	(no significant bioaccumulation)			
rtition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)			
3H)-Furanone, 5-heptyldihydro- (104-67-6)				
rtition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)			
lyl cyclohexylpropionate (2705-87-5)				
rtition coefficient n-octanol/water (Log Pow)	4.28 (at 20 °C (at pH 5.3)			

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3 3 ( 2, 2 2	
Aldehyde C-16 (77-83-8)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)
(104-21-2)	
Partition coefficient n-octanol/water (Log Pow)	1.9 (at 35 °C)
Ethyl vanillin (121-32-4)	
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)
Ethyl maltol (4940-11-8)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)
Allyl caproate (123-68-2)	
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C (at pH 5)
Alcohol C-10 (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)
Aldehyde C-6 (66-25-1)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)
Caproic acid (142-62-1)	
Partition coefficient n-octanol/water (Log Pow)	1.88
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessmen	t
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	: Avoid release to the environment.
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with local/national laws and regulations.</li> <li>Dispose in a safe manner in accordance with local/national regulations.</li> </ul>
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
E - la ma consta un staniale	


Ecology - waste materials

: Hazardous waste due to toxicity. Avoid release to the environment.

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Codo	· UD	2 "Elammable."				
HP Code	– fl die – fl qua – fl	<ul> <li>HP3 - "Flammable:" <ul> <li>flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point &gt; 55 °C and ≤ 75 °C;</li> <li>flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;</li> <li>flammable solid waste: solid waste which is readily combustible or may cause or</li> </ul></li></ul>				
	– fl sta	ntribute to fire through friction; ammable gaseous waste: gas ndard pressure of 101.3 kPa;				
	dar	<ul> <li>water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;</li> <li>other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.</li> </ul>				
	spe	HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause				
	HP	acute toxic effects following aspiration. HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.				
	HP					
		HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.				
		HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment				
SECTION 14: Transpo	ort information					
In accordance with ADR / IME	DG / IATA / ADN / RID					
ADR	IMDG	ΙΑΤΑ	ADN	RID		
14.1. UN number or ID n	umber					



# Safety Data Sheet

ADR IMDG		ΙΑΤΑ	ADN	RID
No supplementary information available				
4.6. Special precautions for user				
verland transport				
Classification code (ADR)	: F1			
Special provisions (ADR)	: 274,	601		
imited quantities (ADR)	: 274, : 51	001		
Excepted quantities (ADR)	: E1			
acking instructions (ADR)		1, IBC03, LP01, R001		
lixed packing provisions (ADR)	: MP1	9		
ortable tank and bulk container instructions (AE	,			
ortable tank and bulk container special provisio	ns : TP1	, TP29		
ADR)				
ank code (ADR)	: LGB	F		
ehicle for tank carriage	: FL			
ransport category (ADR)	: 3			
Special provisions for carriage - Packages (ADR				
Special provisions for carriage - Operation (ADR				
lazard identification number (Kemler No.)	: 30			
Drange plates	:	20		
		30		
		1002		
		1993		
unnel restriction code (ADR)	: D/E			
AC code	: •3Y			
	. 01			
ransport by sea				
Special provisions (IMDG)	• 222	274, 955		
imited quantities (IMDG)	: 223, : 5 L	274, 333		
Excepted quantities (IMDG)	: E1			
Packing instructions (IMDG)		1, P001		
3C packing instructions (IMDG)	: IBC			
		33		
ank instructions (IMDG)	: T4	TROO		
ank special provisions (IMDG)	: TP1	, 1229		
mS-No. (Fire)	: F-E			
mS-No. (Spillage)	: S-E			
towage category (IMDG)	: A			
Nir transport	. 54			
CA Excepted quantities (IATA)	: E1			
PCA Limited quantities (IATA)	: Y34	1		
CA limited quantity max net quantity (IATA)	: 10L			
CA packing instructions (IATA)	: 355			
CA max net quantity (IATA)	: 60L			
AO packing instructions (IATA)	: 366			
AO max net quantity (IATA)	: 2201	-		
pecial provisions (IATA)	: A3			
RG code (IATA)	: 3L			
iland waterway transport				
lassification code (ADN)	: F1			
pecial provisions (ADN)	: 274,	601		
imited quantities (ADN)	: 5 L			
xcepted quantities (ADN)	: E1			
Carriage permitted (ADN)	: T			
quipment required (ADN)	: PP,	EX, A		
/entilation (ADN)	: VE0			
lumber of blue cones/lights (ADN)	: 0			

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 274, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(RID)	
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30

14.7. Maritime transport in bulk according to IMO instruments

#### Not applicable

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	CHRISTMAS MULBERRY #EU17711F ; Orange oil ; Orange Oil ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	CHRISTMAS MULBERRY #EU17711F ; benzyl benzoate ; Orange oil ; benzaldehyde ; Allyl cyclohexylpropionate ; Orange Oil ; Aldehyde C- 16 ; ; Allyl caproate ; Triplal (Vertocitral) ; Caproic acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	CHRISTMAS MULBERRY #EU17711F ; benzyl benzoate ; Orange oil ; Resin acids and Rosin acids, hydrogenated, methyl esters ; 2(3H)-Furanone, 5-heptyldihydro- ; Allyl cyclohexylpropionate ; Orange Oil ; Aldehyde C- 16 ; Allyl caproate ; Triplal (Vertocitral) ; Alcohol C- 10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
40.	Orange oil ;Orange Oil; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	<ul> <li>WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).</li> <li>Is not subject of the Hazardous Incident Ordinance (12. BImSchV)</li> </ul>
Netherlands	
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Orange oil ,Resin acids and Rosin acids, hydrogenated, methyl esters,Orange Oil,Triplal (Vertocitral) are listed
SZW-lijst van mutagene stoffen	: Orange oil ,Resin acids and Rosin acids, hydrogenated, methyl esters,Orange Oil,Triplal (Vertocitral) are listed
SZW-lijst van reprotoxische stoffen – Borstvoe	eding : None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikke	eling : None of the components are listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines
	for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with
	the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Other information

: None.

Full text of H- and EUH	I-statements:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

#### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.